

Bibliography

Manuscripts

2010

1. Buyschaert I, Carruthers KF, Dunbar DR, Peuteman G, Rietzschel E, Belmans A, Hedley A, De Meyer T, Budaj A, Van de Werf F, Lambrechts D, Fox KAA. A variant at chromosome 9p21 is associated with recurrent myocardial infarction and cardiac death after acute coronary syndrome: The GRACE Genetics Study. *Eur Heart J* 2010 (in press).
2. Chew DP, Anderson FA, Avezum A, Eagle KA, FitzGerald G, Gore JM, Dedrick R, Brieger D, on behalf of the GRACE Investigators. Six-Month Survival Benefits associated with clinical guideline recommendations in acute coronary syndromes. *Heart* 2010 (in press).
3. Fox FAA, Carruthers K, Steg PhG, Avezum Á, Granger CB, Montalescot G, Goodman SG, Gore JM, Quill AL, Eagle KA, for the GRACE Investigators. Has the frequency of bleeding changed over time for patients presenting with an acute coronary syndrome? The Global Registry of Acute Coronary Events. *Eur Heart J* 2010; 31(6):667–67.
4. Fox KAA, Eagle KA, Gore JM, Steg PhG, Anderson FA, for the GRACE and GRACE2 Investigators. The Global Registry of Acute Coronary Events, 1999 to 2009 – GRACE. *Heart* 2010 (in press).
5. López-Sendón J, Gurfinkel EP, Lopez de Sa E, Agnelli G, Gore JM, Steg PhG, Eagle KA, Ruiz Cantador J, FitzGerald G, Granger CB, and for the Global Registry of Acute Coronary Events (GRACE) Investigators. Factors related to heart rupture in acute coronary syndromes in the Global Registry of Acute Coronary Events. *Eur Heart J* 2010 doi:10.1093/eurheartj/ehq061.
6. Nguyen HL, Goldberg RG, Gore JM, Fox KAA, Eagle KA, Gurfinkel EP, Spencer FA, Reed G, Quill A, Anderson FA. Age and Sex Differences, and Changing Trends, in the Use of Evidence-Based Therapies in Acute Coronary Syndromes: Perspectives from a Multinational Registry. *Coron Art Dis* 2010 (in press).
7. Spencer FA, Montalescot G, Fox KAA, Goodman SGG, Granger CB, Goldberg RJ, Oliveira GBF, Anderson FA, Eagle KA, FitzGerald G, Gore JM, and for the Global Registry of Acute Coronary Events (GRACE) Investigators. Delay to reperfusion in patients with acute myocardial infarction presenting to acute care hospitals. An international perspective. *Eur Heart J* (2010)doi: 10.1093/eurheartj/ehq057.

2009

8. Ambrosio G, Del Pinto M, Tritto I, Agnelli G, Bentivoglio M, Zuchi C, Fox KAA, Anderson FA, Gore JM, López-Sendón J, Wyman A, Kennelly BM; for the GRACE investigators. Chronic nitrate therapy is associated with different presentation and evolution of acute coronary syndromes: insights from 52,693 patients in the Global Registry of Acute Coronary Events (GRACE). *Eur Heart J* 2009. doi:10.1093/eurheartj/ehp457.
9. Avezum Á, Piegas LS, Goldberg RJ, Brieger D, Stiles MK, Paolini R, Huang W, Gore JM, for the GRACE Investigators. Magnitude and prognosis associated with ventricular arrhythmias in patients hospitalized with acute coronary syndromes (from the GRACE registry). *Am J Cardiol* 2009; 102(12):1577-82.
10. Brieger D, Fox KAA, FitzGerald G, Eagle KA, Budaj A, Avezum Á, Granger CB, Costa B, Anderson FA, Steg PG, for the GRACE Investigators. Predicting freedom from clinical events in non–ST-elevation acute coronary syndromes. The Global Registry of Acute Coronary Events. *Heart* 2009;95:888-94.
11. Dey S, Flather MD, Devlin G, Brieger D, Gurfinkel EP, Steg PG, FitzGerald G, Jackson EA, Eagle KA. Sex-related differences in the presentation, treatment and outcomes among patients with acute coronary syndromes: the Global Registry of Acute Coronary Events. *Heart* 2009;95(1):20-6. [published online in 2008]
12. Goldberg RG, Spencer FA, Fox KAA, Brieger D, Steg PG, Gurfinkel EP, Dedrick R, Gore JM. Pre-hospital Delay in Patients with Acute Coronary Syndromes (from the GRACE Registry). *Am J Cardiol* 2009;103:598–603.
13. Gore JM, Spencer FA, Gurfinkel EP, Lopez-Sendon J, Steg PG, Granger CB, FitzGerald G, Agnelli G. Thrombocytopenia in patients with an acute coronary syndrome (from the Global Registry of Acute Coronary Events [GRACE]). *Am J Cardiol* 2009;103(2):175-80.
14. LaBounty T, Gurm HS, Goodman SG, Montalescot G, Lopez-Sendon J, Quill A, Eagle KA, for the GRACE Investigators. Predictors and implications of Q-waves in ST-elevation acute coronary syndromes. *Am J Med* 2009;122:144-51.

15. López-Sendón J, Dabbous OH, López de Sá E, Stiles M, Gore JM, Brieger D, Van de Werf F, Budaj A, Gurfinkel EP, Fox KAA, on behalf of the GRACE investigators. Hospital outcomes associated with fibrinolytic drugs and thienopyridines in patients with ST-segment elevation acute myocardial infarction. The Global Registry of Acute Coronary Events. *Rev Esp Cardiol.* 2009;62:501-509.
16. Medi C, Montalescot G, Budaj A, Fox KAA, López-Sendón J, FitzGerald G, Brieger DB, on behalf of the GRACE Investigators. Reperfusion in patients with renal dysfunction after presentation with ST elevation or left bundle branch block. The Global Registry of Acute Coronary Events. *J Am Coll Cardiol Intv* 2009;2:26–33.
17. Montalescot G, Brieger D, Eagle KA, Anderson FA, Jr., Fitzgerald G, Lee MS, Steg PG, Avezum A, Goodman SG, Gore JM. Unprotected left main revascularization in patients with acute coronary syndromes. *Eur Heart J* 2009;30:2308-17.
18. Pieper KS, Gore JM, FitzGerald G, Granger CB, Goldberg RJ, Steg G, Eagle KA, Anderson FA, Budaj A, Fox KA. Validity of a risk-prediction tool for hospital mortality: the Global Registry of Acute Coronary Events. *Am Heart J.* 2009;157:1097-1105.
19. Ruisi CP, Goldberg RJ, Kennelly BM, Goodman SG, Lopez-Sendon J, Granger CB, Avezum A, Eagle KA, FitzGerald G, Gore JM, on behalf of the GRACE investigators. Pulmonary artery catheterization in patients with acute coronary syndromes. *Am Heart J* 2009;158:170-6.
20. Sinnaeve PR, Steg PG, Fox KAA, Van de Werf F, Montalescot G, Granger CB, Knobel E, Anderson FA, Dabbous OH, Avezum A, for the GRACE Investigators. Elevated fasting glucose is associated with increased short-term and 6-month mortality in ST- and non-ST-elevation acute coronary syndromes: The Global Registry of Acute Coronary Events. *Arch Intern Med* 2009;169(4):402-409.
21. Steg PG, FitzGerald G, Fox KAA. Risk stratification in non–ST-segment elevation acute coronary syndromes: troponin is not enough. *Am J Med* 2009;122:107-08.
22. Steg P Gabriel, Fox KA, Eagle KA, Furman M, Van de Werf F, Montalescot G, Goodman SG, Avezum A, Huang W, Gore JM. Mortality following placement of drug-eluting and bare-metal stents for ST-segment elevation acute myocardial infarction in the Global Registry of Acute Coronary Events. *Eur Heart J* 2009;30:321-329 [published online doi:10.1093/eurheartj/ehn604].
23. Swanson N, Montalescot G, Eagle KA, Goodman SG, Huang W, Brieger D, Devlin G. Delay to angiography and outcomes following presentation with high-risk, non-ST-elevation acute coronary syndromes: results from the Global Registry of Acute Coronary Events. *Heart* 2009;95(3):211-5.[published online in 2008: 2008;0: hrt.2008.149922v1.]
24. Vedre A, Gurm HS, Froehlich JB, Kline-Rogers E, Montalescot G, Gore JM, Brieger D, Quill AL, Eagle KA, for the GRACE Investigators. Impact of prior statin therapy on arrhythmic events in patients with acute coronary syndromes (From the Global Registry of Acute Coronary Events [GRACE]). *Am J Cardiol* 2009;104:1613-1617.
25. Yan AT, Steg PhG, FitzGerald G, Feldman LJ, Eagle KA, Gore JM, Anderson FA, López-Sendón J, Gurfinkel EP, Brieger D, Goodman SG, for the GRACE Investigators. Recurrent ischemia across the spectrum of acute coronary syndromes: prevalence and prognostic significance of (re-)infarction and ST-segment changes in a large contemporary registry. *Int J Cardiol.* 2009; May 27. [Epub ahead of print]. doi:10.1016/j.ijcard.2009.05.007

2008

26. Dabbous OH, Anderson FA, Jr., Gore JM, Eagle KA, Fox KA, Mehta RH, Goldberg RJ, Agnelli G, Steg PG. Outcomes with the use of glycoprotein IIb/IIIa inhibitors in non-ST-segment elevation acute coronary syndromes. *Heart* 2008;94:159-65.
27. Devlin G, Gore JM, Elliott J, Wijesinghe N, Eagle KA, Avezum A, Huang W, Brieger D. Management and 6-month outcomes in elderly and very elderly patients with high-risk non-ST-elevation acute coronary syndromes: The Global Registry of Acute Coronary Events. *Eur Heart J* 2008;29:1275-1282.
28. Eagle KA, Nallamothu BK, Mehta RH, Granger CB, Steg PG, Van de Werf F, López-Sendón J, Goodman SG, Quill A, Fox KAA, for the Global Registry of Acute Coronary Events (GRACE) Investigators. Trends in acute reperfusion therapy for ST-segment elevation myocardial infarction from 1999 to 2006: we are getting better but we have got a long way to go. *Eur Heart J* 2008;29:609-617.
29. Fox KA, Anderson FA, Jr, Goodman SG, Steg PG, Pieper K, Quill A, Gore JM. Time course of events in acute coronary syndromes: implications for clinical practice from the GRACE registry. *Nat Clin Pract Cardiovasc Med* 2008;5:580-9.
30. Steg PG, Kerner A, Van de Werf F, Lopez-Sendon J, Gore JM, Fitzgerald G, Feldman LJ, Anderson FA, Avezum A. Impact of in-hospital revascularization on survival in patients with non-ST-elevation acute coronary syndrome and congestive heart failure. *Circulation* 2008;118:1163-71.
31. Stiles MK, Dabbous OH, Fox KA. Bleeding Events with Antithrombotic Therapy in Patients with Unstable Angina or non-ST-segment Elevation Myocardial Infarction; Insights from a Large Clinical Practice Registry (GRACE). *Heart Lung Circ* 2008;17:5-8.

32. Yan RT, Yan AT, Granger CB, Lopez-Sendon J, Brieger D, Kennelly B, Budaj A, Steg PhG, Georgescu AA, Hassan Q, Goodman SG, on behalf of the Global Registry of Acute Coronary Events (GRACE) Electrocardiogram Substudy Group. Usefulness of quantitative versus qualitative ST-segment depression for risk stratification of non-ST elevation acute coronary syndromes in contemporary clinical practice. *Am J Cardiol* 2008;101:919–924

2007

33. Brieger D, Elsik M, Gore JM, Knobel E, Nussbacher A, Piegas LS, Allegrone J, Anderson FA, Avezum Á, on behalf of the Global Registry of Acute Coronary Events investigators. Predicting coronary artery bypass graft surgery in acute coronary syndromes. *EuroIntervention* 2007;2:452–458.
34. Brieger D, Van de Werf F, Avezum Á, Montalescot G, Kennelly BM, Granger CB, Goodman SG, Dabbous OH, Agnelli G, for the GRACE Investigators. Interactions between heparins, glycoprotein IIb/IIIa antagonists, and coronary intervention. *The Global Registry of Acute Coronary Events. Am Heart J* 2007;153:960-9.
35. Fox KAA, Anderson Jr FA, Dabbous OH, Steg PhG, López-Sendón J, Van de Werf F, Budaj A, Gurfinkel EP, Goodman SG, Brieger D, on behalf of the GRACE Investigators. Intervention in acute coronary syndromes: do patients undergo intervention on the basis of their risk characteristics? *The Global Registry of Acute Coronary Events (GRACE). Heart* 2007;93:177-82.
36. Fox KAA, Steg PG, Eagle KA, Goodman SG, Anderson FA, Granger CB, Flather MD, Budaj A, Quill A, Gore JM, for the GRACE Investigators. Decline in rates of death and heart failure in acute coronary syndromes, 1999 to 2006. *J Am Med Assoc* 2007;297:1892-1900.
37. Gore JM, Spencer FA, Goldberg RJ, Kennelly BM, Fox KAA, Allegrone J, Eagle KA, Anderson FA, Steg PG, on behalf of the GRACE Investigators. Use of heparins in non-ST-elevation acute coronary syndromes. *Am J Med* 2007;120:63-71.
38. Goldberg RJ, Spencer FA, Steg PG, Flather MD, Montalescot G, Gurfinkel EP, Kennelly BM, Goodman SG, Dedrick R, Gore JM, for the GRACE Investigators. Increasing use of single and combination medical therapy in patients hospitalized for acute myocardial infarction in the 21st century: a multinational perspective. *Arch Intern Med* 2007;167:1766-1773.
39. Gurfinkel EP, Perez de la Hoz R, Brito VB, Durrone E, Dabbous OH, Gore JM, Anderson FA, for the GRACE Investigators. Invasive vs non-invasive treatment in acute coronary syndromes and prior bypass surgery. *Int J Cardiol* 2007; 119:65-72.
40. Mukherjee D, Eagle KA, Kline-Rogers E, Feldman LJ, Juliard JM, Agnelli G, Budaj A, Avezum Á, Allegrone J, FitzGerald G, Steg PG, on behalf of the GRACE Investigators. Impact of prior peripheral arterial disease and stroke on outcomes of acute coronary syndromes and effect of evidence-based therapies (from the Global Registry of Acute Coronary Events). *Am J Cardiol* 2007;100:1-6.
41. Nallamothu BK, Fox KAA, Kennelly BM, Van de Werf F, Gore JM, Steg PG, Granger CB, Dabbous OH, Kline-Rogers E, Eagle KA, on behalf of the GRACE Investigators. Relationship of treatment delays and mortality in patients undergoing fibrinolysis and primary percutaneous coronary intervention. *The Global Registry of Acute Coronary Events. Heart* 2007 doi:10.1136/hrt.2006.112847.
42. Nguyen MC, Lim YL, Walton A, Lefkowitz J, Agnelli G, Goodman SG, Budaj A, Gulba DC, Allegrone J, Brieger D, for the GRACE Investigators. Combining warfarin and antiplatelet therapy after coronary stenting in the Global Registry of Acute Coronary Events: is it safe and effective to use just one antiplatelet agent? *Eur Heart J* 2007. doi:10.1093/eurheartj/ehm186.
43. Oliveira GBF, Avezum Á, Frederick FA, Budaj A, Dabbous OH, Goodman SG, Steg PG, Goldberg RJ, Brieger D, Fox KAA, Gore JM, Granger CB, for the GRACE Investigators. Use of proven therapies in non–ST-elevation acute coronary syndromes according to evidence-based risk stratification. *Am Heart J* 2007;153:493-9.
44. Ramsay G, Podogrodzka M, McClure C, Fox KAA. Risk prediction in patients presenting with suspected cardiac pain: the GRACE and TIMI risk scores versus clinical evaluation. *QJM* 2007 100(1):11-18; doi:10.1093/qjmed/hcl133.
45. Spencer FA, Goldberg RJ, Gore JM, Fox KAA, Avezum Á, Agnelli G, Kritharides L, Anderson FA, Goodman SG, FitzGerald G, Allegrone J, Brieger D, for the GRACE Investigators. Comparison of utilization of statin therapy at hospital discharge and 6-month outcomes in patients with an acute coronary syndrome and serum low-density lipoprotein ≥ 100 mg/dl versus < 100 mg/dl. *Am J Cardiol* 2007;100:913–918.
46. Spencer FA, Moscucci M, Granger CB, Gore JM, Goldberg RJ, Steg PG, Goodman SG, Budaj A, FitzGerald G, Fox KAA, for the GRACE Investigators. Does comorbidity account for the excess mortality in patients with major bleeding in acute myocardial infarction? *Circulation* 2007;116:2793-801.
47. Steg PG, López-Sendón J, Lopez de Sa E, Goodman SG, Gore JM, Anderson FA, Himbert D, Allegrone J, Van de Werf F, for the GRACE Investigators. External validity of clinical trials in acute myocardial infarction. *Arch Intern Med* 2007;167:68-73.
48. Yan RT, Yan AT, Allegrone J, López-Sendón J, Granger CB, Gore JM, Budaj A, Georgescu AA, Hassan Q, Luchansky J, Van de Werf F, Goodman SG, on behalf of the Global Registry of Acute Coronary Events (GRACE) Electrocardiogram

Substudy Group. Differences between local hospital and core laboratory interpretation of the admission electrocardiogram in patients with acute coronary syndromes and their relation to outcome. *Am J Cardiol* 2007;100:169-74.

49. Yan A, Yan RT, Goodman SG, Kennelly BM, Anderson Jr., Budaj A, López-Sendón J, Brieger D, Allegrone J, Steg PG, Goodman SG, for the GRACE Investigators. Relationship of ST elevation in lead aVR with angiographic findings and outcome in non-ST elevation acute coronary syndromes. *Am Heart J* 2007;154:71-8.

2006

50. Emery M, López-Sendón J, Steg PG, Anderson FA, Jr., Dabbous OH, Scheuble A, Eagle KA. Patterns of use and potential impact of early beta-blocker therapy in non-ST-elevation myocardial infarction with and without heart failure: the Global Registry of Acute Coronary Events. *Am Heart J* 2006;152:1015-1021.
51. Fox KAA, Dabbous OH, Goldberg RJ, Pieper KS, Eagle KA, Van de Werf F, Avezum Á, Goodman SG, Flather MD, Anderson Jr, FA, Granger CB, for the GRACE Investigators. Prediction of risk of death and myocardial infarction in the six months after presentation with acute coronary syndrome: prospective multinational observational study (GRACE). *Br Med J* 2006;333:1091-4. doi:10.1136/bmj.38985.646481.55 (published 10 October 2006)
52. Froehlich JB, Mukherjee D, Avezum Á, Budaj A, Kline-Rogers EM, López-Sendón J, Agnelli G, Allegrone J, Eagle KA, Mehta RH, Goldberg RJ, for the GRACE Investigators. Association of peripheral artery disease with treatment and outcomes in acute coronary syndromes. The Global Registry of Acute Coronary Events (GRACE). *Am Heart J* 2006;151:1123-8.
53. Goodman SG, Steg PG, Eagle KA, Fox KAA, López-Sendón J, Montalescot G, Budaj A, Kennelly BM, Gore JM, Allegrone J, Granger CB, Gurfinkel EP, for the GRACE Investigators. The diagnostic and prognostic impact of the redefinition of acute myocardial infarction: lessons from the Global Registry of Acute Coronary Events (GRACE). *Am Heart J* 2006;151:654-60.

2005

54. Avezum Á, Makdisse M, Spencer F, Gore JM, Fox KAA, Montalescot G, Eagle KA, White K, Mehta RH, Knobel E, Collet J-P, for the GRACE Investigators. Impact of age on management and outcome of acute coronary syndrome: observations from the Global Registry of Acute Coronary Events (GRACE). *Am Heart J* 2005;149:67-73.
55. Budaj A, Flasińska K, Gore JM, Anderson FA, Dabbous OH, Spencer FA, Goldberg RJ, Fox KAA, on behalf of the GRACE Investigators. Magnitude of and risk factors for stroke in patients with acute coronary syndromes. Findings from a Global Registry of Acute Coronary Events. *Circulation* 2005; 111:3242-7.
56. Carruthers KF, Dabbous OH, Flather MD, Starkey I, Jacob A, MacLeod D, Fox KAA, on behalf of the GRACE Investigators. Contemporary management of acute coronary syndromes: does the practice match the evidence? The Global Registry of Acute Coronary Events (GRACE). *Heart* 2005;91:290-8.
57. Collet JP, Montalescot G, Agnelli G, Van de Werf F, Gurfinkel EP, López-Sendón J, Laufenberg CV, Klutman M, Gowda N, Gulba D, for the GRACE Investigators. Non-ST-segment elevation acute coronary syndrome in patients with renal failure in the Global Registry of Acute Coronary Events: benefit of low-molecular-weight heparin alone and with glycoprotein IIb/IIIa inhibitors on outcomes. *Eur Heart J* 2005; doi:10.1093/eurheartj/ehj337.
58. Devlin GP, Anderson Jr FA, Heald S, López-Sendón J, Avezum Á, Elliott J, Dabbous OH, and Brieger D. Management and outcomes of lower-risk patients presenting with acute coronary syndromes in a multinational observational registry. *Heart* 2005; doi:10.1136/hrt.2004.054007
59. Granger CB, López-Sendón J, Van de Werf F, Kline-Rogers E, Anderson FA, Dabbous OH, Allegrone J, Klein W, Eagle KA. Medication performance measures and mortality following acute coronary syndromes. *Am J Med* 2005;118:858-65.
60. Gurfinkel EP, Bozovich GE, Dabbous O, Mautner B, Anderson F. Socio economic crisis and mortality. Epidemiological testimony of the financial collapse of Argentina. *Thromb J.* 2005;3:22.
61. Himbert D, Klutman M, Steg PhG, White K, Gulba DC, for the GRACE Investigators. Cigarette smoking and acute coronary syndromes: a multinational observational study. *Int J Cardiol* 2005; 100:109-17.
62. Lim MJ, Eagle KA, Gore JM, Goldberg RJ, Mehta RJ, Granger CB, Anderson FA, Flather M, Dabbous OH, Spencer FA. Treating patients with acute coronary syndromes with aggressive antiplatelet therapy (from the Global Registry of Acute Coronary Events). *Am J Cardiol* 2005;96:917-21.
63. Lim MJ, Spencer FA, Gore JM, Dabbous OH, Agnelli G, Kline-Rogers EM, DiBenedetto D, Eagle KA, Mehta RH, for the GRACE Investigators. Impact of combined pharmacologic treatment with clopidogrel and a statin on outcomes of patients with non-ST-segment elevation acute coronary syndromes. Perspectives from a large multinational registry. *Eur Heart J* 2005; doi: 10.1093/eurheartj/ehi139.
64. Mallat Z, Steg PG, Benessiano J, Tanguy ML, Fox KA, Collet JP, Dabbous OH, Henry P, Carruthers KF, Dauphin A, Arguelles CS, Masliah J, Hugel B, Montalescot G, Freyssinet JM, Asselain B, Tedgui A. Circulating secretory

phospholipase A2 activity predicts recurrent events in patients with severe acute coronary syndromes. *JACC* 2005;46:1249-1257.

65. Montalescot G, Dabbous OH, Lim MJ, Flather MD, Mehta RH, for the GRACE Investigators. Relation of timing of cardiac catheterization to outcomes in patients with non-ST-segment elevation myocardial infarction or unstable angina pectoris enrolled in the multinational Global Registry of Acute Coronary Events. *Am J Cardiol* 2005; 95:1397-1403.
66. Van de Werf F, Gore JM, Avezum Á, Gulba DC, Goodman SG, Budaj A, Brieger D, White K, Fox KAA, Eagle KA, Kennelly BM, and for the GRACE Investigators. Access to catheterisation facilities in patients admitted with acute coronary syndrome: multinational registry study. *Br Med J* 2005;330:441.

2004

67. Brieger D, Eagle KA, Goodman SG, Steg PhG, Budaj A, White K, Montalescot G, for the GRACE Investigators. Acute coronary syndromes without chest pain: an underdiagnosed and undertreated high-risk group. Insights from the Global Registry of Acute Coronary Events (GRACE). *Chest* 2004;126:461-69.
68. Eagle KA, Kline-Rogers E, Goodman SG, Gurfinkel EP, Avezum Á, Flather MD, Granger CB, Erickson S, White K, Steg PhG, for the GRACE Investigators. Adherence to evidence-based therapies after discharge for acute coronary syndromes. An ongoing, prospective, observational study. *Am J Med* 2004;117:73-81.
69. Eagle KA, Lim MJ, Dabbous OH, Pieper KS, Goldberg RJ, Van de Werf F, Goodman SG, Granger CB, Steg PG, Gore JM, Budaj A, Avezum Á, Flather MD, Fox KAA, for the GRACE Investigators. A validated prediction model for all forms of acute coronary syndrome: estimating the risk of 6-month postdischarge death in an international registry. *J Am Med Assoc* 2004;291:2727-33.
70. Fox KAA. An international perspective on acute coronary syndrome care. Insights from the Global Registry of Acute Coronary Events. *Am Heart J* 2004;148:S40-5.
71. Franklin K, Goldberg RJ, Spencer F, Klein W, Budaj A, Brieger D, Marre M, Steg PhG, Gowda N, Gore JM, for the GRACE Investigators. Implications of diabetes in patients with acute coronary syndromes: the Global Registry of Acute Coronary Events. *Arch Intern Med* 2004;164:1457-63.
72. Furman MI, Gore JM, Anderson FA, Budaj A, Goodman SG, Avezum Á, López-Sendón J, Klein W, Mukherjee D, Eagle KA, Dabbous OH, Goldberg RJ, for the GRACE Investigators. Elevated leukocyte count and adverse hospital events in patients with acute coronary syndromes: findings from the Global Registry of Acute Coronary Events (GRACE). *Am Heart J* 2004;147:42-8.
73. Goldberg RJ, Currie K, White K, Brieger D, Steg PhG, Goodman SG, Dabbous O, Fox KAA, Gore JM. Six-month outcomes in a multinational registry of patients hospitalized with an acute coronary syndrome (the Global Registry of Acute Coronary Events [GRACE]). *Am J Cardiol* 2004;93:288-93.
74. Mehta RH, Sadiq I, Goldberg RJ, Gore JM, Avezum Á, Spencer F, Kline-Rogers E, Allegrone J, Pieper K, Fox KAA, Eagle KA, for the GRACE Investigators. Effectiveness of primary percutaneous coronary intervention compared with that of thrombolytic therapy in elderly patients with acute myocardial infarction. *Am Heart J* 2004;147:253-9.
75. Spencer FA, Allegrone J, Goldberg RJ, Gore JM, Fox KAA, Granger CB, Mehta RH, Brieger D, for the GRACE Investigators. Association of statin therapy with outcomes of acute coronary syndromes: The GRACE Study. *Ann Int Med* 2004;140:857-66.
76. Steg PhG, Dabbous OH, Feldman LJ, Cohen-Solal A, Aumont M-C, López-Sendón J, Budaj A, Goldberg RJ, Klein W, Anderson FA, for the Global Registry of Acute Coronary Events (GRACE) Investigators. Determinants and prognostic impact of heart failure complicating acute coronary syndromes: observations from the Global Registry of Acute Coronary Events (GRACE). *Circulation* 2004;109:494-9.

2003

77. Budaj A, Brieger D, Steg PhG, Goodman SG, Dabbous OH, Fox KAA, Avezum Á, Cannon CP, Mazurek T, Flather MD, Van de Werf F, for the GRACE Investigators. Global patterns of use of antithrombotic and antiplatelet therapies in patients with acute coronary syndromes: insights from the Global Registry of Acute Coronary Events (GRACE). *Am Heart J* 2003;146:999-1006.
78. Fox KAA, Goodman SG, Anderson FA, Granger CB, Moscucci M, Flather MD, Spencer F, Budaj A, Dabbous OH, Gore JM, on behalf of the GRACE Investigators. From guidelines to clinical practice: the impact of hospital and geographical characteristics on temporal trends in the management of acute coronary syndromes. *The Global Registry of Acute Coronary Events (GRACE). Eur Heart J* 2003;24:1414-24.
79. Granger CB, Goldberg RJ, Dabbous O, Pieper KS, Eagle KA, Cannon CP, Van de Werf F, Avezum Á, Goodman SG, Flather MD, Fox KAA, for the Global Registry of Acute Coronary Events Investigators. Predictors of hospital mortality in the Global Registry of Acute Coronary Events. *Arch Intern Med* 2003;163:2345-53.

80. Klein W, Kraxner W, Hödl R, Steg PhG, Budaj A, Gulba D, Sadiq I, Van de Werf F, White K, Fox KAA, for the GRACE investigators. Patterns of use of heparins in ACS. Correlates and hospital outcomes: the Global Registry of Acute Coronary Events (GRACE). *Thromb Haemost* 2003;90:519-27.
81. Mehta RH, Dabbous OH, Granger CB, Kuznetsova P, Kline-Rogers EM, Anderson FA Jr, Fox KAA, Gore JM, Goldberg RJ, Eagle KA, for the GRACE Investigators. Comparison of outcomes of patients with acute coronary syndromes with and without atrial fibrillation. *Am J Cardiol* 2003;92:1031-6.
82. Montalescot G, Van de Werf F, Gulba DC, Avezum Á, Brieger D, Kannelly BM, Mazurek T, Spencer F, White K, Gore JM, for the GRACE Investigators. Stenting and glycoprotein IIb/IIIa inhibition in patients with acute myocardial infarction undergoing percutaneous coronary intervention: findings from the Global Registry of Acute Coronary Events (GRACE). *Catheter Cardiovasc Interv* 2003;60:360-7.
83. Moscucci M, Fox KAA, Cannon CP, Klein W, López-Sendón J, Montalescot G, White K, Goldberg RJ, for the GRACE Investigators. Predictors of major bleeding in acute coronary syndromes: the Global Registry of Acute Coronary Events (GRACE). *Eur Heart J* 2003;24:1815-23.
84. Santopinto JJ, Fox KAA, Goldberg RJ, Budaj A, Piñero G, Avezum Á, Gulba D, Esteban J, Gore JM, Johnson J, Gurfinkel EP, on behalf of the GRACE Investigators. Creatinine clearance and adverse hospital outcomes in patients with acute coronary syndromes: findings from the Global Registry of Acute Coronary Events (GRACE). *Heart* 2003;89:1003-8.

2002

85. Dauerman HL, Goldberg RJ, White K, Gore JM, Sadiq I, Gurfinkel E, Budaj A, Lopez de Sa E, López-Sendón J, for the GRACE Investigators. Revascularization, stenting, and outcomes of patients with acute myocardial infarction complicated by cardiogenic shock. *Am J Cardiol* 2002;90:838-42.
86. Eagle K. Lessons from GRACE: the Global Registry of Acute Coronary Events. *Eur Heart J* 2002;4(Suppl E):E24-31.
87. Eagle KA, Goodman SG, Avezum Á, Budaj A, Sullivan CM, López-Sendón J, for the GRACE Investigators. Practice variation and missed opportunities for reperfusion in ST-segment-elevation myocardial infarction: findings from the Global Registry of Acute Coronary Events (GRACE). *Lancet* 2002;359:373-7.
88. Fox KAA, Goodman SG, Klein W, Brieger D, Steg PhG, Dabbous O, Avezum Á, for the GRACE Investigators. Management of acute coronary syndromes. Variations in practice and outcome. Findings from the Global Registry of Acute Coronary Events (GRACE). *Eur Heart J* 2002;23:1177-89.
89. Goldberg RJ, Steg PhG, Sadiq I, Granger CB, Jackson EA, Budaj A, Brieger D, Avezum Á, Goodman S. Extent of, and factors associated with, delay to hospital presentation in patients with acute coronary disease (the GRACE registry). *Am J Cardiol* 2002;89:791-6.
90. Spencer F, Santopinto J, Gore JM, Goldberg RJ, Fox KAA, Moscucci M, White K, Gurfinkel EP. Impact of aspirin on presentation and hospital outcomes in patients with acute coronary syndromes (The Global Registry of Acute Coronary Events [GRACE]). *Am J Cardiol* 2002;90:1056-61.
91. Steg PhG, Goldberg RJ, Gore JM, Fox KAA, Eagle KA, Flather MD, Sadiq I, Kasper R, Rushton-Mellor SK, Anderson FA, for the GRACE Investigators. Baseline characteristics, management practices, and in-hospital outcomes of patients hospitalized with acute coronary syndromes in the Global Registry of Acute Coronary Events (GRACE). *Am J Cardiol* 2002;90:358-63.

2001

92. The GRACE Investigators. Rationale and design of the GRACE (Global Registry of Acute Coronary Events) project: a multinational registry of patients hospitalized with acute coronary syndromes. *Am Heart J* 2001;141:190-9.

2000

93. Fox KAA. An introduction to the Global Registry of Acute Coronary Events: GRACE. *Eur Heart J* 2000;2(Suppl F):F21-4.
94. Granger CB. Strategies of patient care in acute coronary syndromes: rationale for the Global Registry of Acute Coronary Events (GRACE) registry. *Am J Cardiol* 2000;86(Suppl):4M-9M.

'Expanded' GRACE (GRACE²) publications

95. Bagnall AJ, Goodman SG, Fox KAA, Yan RT, Gore JM, Cheema AS, Huynh T, Chauret D, Fitchett DH, Langer A, Yan AT, for the Canadian Acute Coronary Syndrome Registry I and II Investigators and Canadian Global Registry of Acute Coronary Events (GRACE/GRACE²) Investigators. Influence of age on use of cardiac catheterization and associated outcomes in patients with non-ST-elevation acute coronary syndrome. *Am J Cardiol* 2009; 103:1530-6.
96. Banihashemi B, Goodman SG, Yan RT, Welsh RC, Mehta SR, Montalescot G, Kornder JM, Wong GC, Gyenes G, Steg PG, Yan AT. Underutilization of clopidogrel and glycoprotein IIb/IIIa inhibitors in non-ST-elevation acute coronary syndrome patients: The Canadian Global Registry of Acute Coronary Events (GRACE) experience. *Am Heart J*. 2009;158:917-924.
97. Elbarouni B, Goodman SG, Yan RT, Welsh RC, Kornder JM, DeYoung JP, Wong GC, Rose B, Grondin FR, Gallo R, Tan M, Casanova A, Eagle KA, Yan AT, on behalf of the Canadian Global Registry of Acute Coronary Events (GRACE/GRACE²)

- Investigators. Validation of the GRACE Risk Score for In-Hospital Mortality in Acute Coronary Syndrome Patients in Canada. *Am Heart J* 2009;158:392-9.
98. Goodman SG, Huang W, Yan AT, Budaj A, Kennelly BM, Gore JM, Fox KAA, Goldberg RJ, Anderson FA, and for the Expanded Global Registry of Acute Coronary Events (GRACE²) Investigators. The expanded Global Registry of Acute Coronary Events: baseline characteristics, management practices, and hospital outcomes of patients with acute coronary syndromes. *Am Heart J* 2009;158:193-201.e5.
 99. Jedrzkiewicz S, Goodman SG, Yan RT, Grondin FR, Gallo R, Welsh RC, Lai K, Huynh T, Yan AT, on behalf of the Canadian Global Registry of Acute Coronary Events (GRACE/GRACE²) Investigators. Evaluation of left ventricular ejection fraction in non-ST-segment elevation acute coronary syndromes and its relationship to treatment. *Am Heart J* 2010 (in press).
 100. Jedrzkiewicz S, Goodman SG, Yan RT, Welsh RC, Kornder J, Paul DeYoung J, Wong GC, Rose B, Grondin FR, Gallo R, Huang W, Gore JM, Yan AT, on behalf of the Canadian Global Registry of Acute Coronary Events (GRACE/GRACE²) Investigators. Temporal Trends in the Use of Invasive Cardiac Procedures for Non-ST-Segment Elevation Acute Coronary Syndromes According to Initial Risk Stratification. *Can J Cardiol* (in press).
 101. Lee TC, Goodman SG, Yan RT, Grondin FR, Welsh RC, Rose B, Gyenes G, MDF, Zimmerman RH, Brossoit R, Saposnik G, Graham JJ, Yan AT, on Behalf of the Canadian Acute Coronary Syndromes I and II, Canadian Global Registry of Acute Coronary Events (GRACE/GRACE²) and the Canadian Registry of Acute Coronary Events (CANRACE) Investigators. Disparities in Management Patterns and Outcomes of Patients With Non-ST-Elevation Acute Coronary Syndrome With and Without a History of Cerebrovascular Disease. *Am J Cardiol* 2010;105:1083–1089.
 102. Philippe F, Larrazet F, Dibie A, Bouabdallah K, Carbognani D, Folliguet T, Czitrom D, Lagier A, Laborde F, Cohen A, Montalescot G. [Management of acute coronary syndromes in a new French coronary intensive care unit. The first four years of activity in the GRACE registry (Global Registry of Acute Coronary Events)]. *Ann Cardiol Angeiol (Paris)*. 2005;54(2):68-73.
 103. Rao R, Goodman SG, Yan RT, Spencer FA, Fox KAA, DeYoung JP, Rose R, Grondin FR, Gallo R, Gore JM, and Yan AT, on behalf of the Canadian Global Registry of Acute Coronary Events (GRACE/GRACE²) Investigators. Temporal trends and patterns of early clopidogrel use across the spectrum of acute coronary syndromes. *Am Heart J* 2009;157(4): 642-650.
 104. Tebbe U, Bramlage P, von Löwis of Menar P, Lawall H, Gaudron P, Lüders S, Klaus A, Lengfelder W, Scholz KH, Maziejewski S, Cuneo A, Hohmann V, Gulba D. Behandlung des akuten koronarsyndroms in Deutschland: erfahrungen eines deutschen clusters des GRACE-registers. [Treatment of the acute coronary syndrome in Germany: experience in a German cluster of the GRACE registry]. *Dtsch Med Wochenschr*. 2007 Sep;132(39):2000-5.
 105. Elbarasi E, Goodman SGG, Yan RT, Welsh RC, Kornder J, Wong GC, Déry J-P, Anderson FA, Gore JM, Fox KAA, Yan AT, on behalf of the Canadian Acute Coronary Syndrome Registries I and II (ACS I and ACS II) and Canadian Global Registry of Acute Coronary Events (GRACE/expanded-GRACE) Investigators. Management Patterns of Non-ST Segment Elevation Acute Coronary Syndromes in Relation to Prior Coronary Revascularization. *Am Heart J* 2009 (in press).
 106. Wong JA, Goodman SG, Yan RT, Wald R, Bagnall AJ, Welsh RC, Wong GC, Kornder J, Eagle KA, Steg PG, Yan AT. Temporal management patterns and outcomes of non-ST elevation acute coronary syndromes in patients with kidney dysfunction. *Eur Heart J* 2009;30:549-57.
 107. Elbarouni B, Elmanfud O, Yan RT, Fox KAA, Kornder JM, Rose B, Spencer FA, Welsh RC, Wong GC, Goodman SG, Yan AT. Temporal Trend of In-hospital Major Bleeding Among Patients with Non St-elevation Acute Coronary Syndromes. *Am Heart J* 2010 (in press).

Validation of GRACE risk scores – non-GRACE publications

1. Alter DA, Venkatesh V, Chong A. Evaluating the performance of the Global Registry of Acute Coronary Events risk-adjustment index across socioeconomic strata among patients discharged from the hospital after acute myocardial infarction. *Am Heart J* 2006;151:323-331.
2. Bradshaw PJ, Ko DT, Newman AM, Donovan LR, Tu JV. Validity of the GRACE (Global Registry of Acute Coronary Events) acute coronary syndrome prediction model for six month post-discharge death in an independent data set. *Heart* 2006;92:905-909.
3. de Araujo Goncalves P, Ferreira J, Aguiar C, Seabra-Gomes R. TIMI, PURSUIT, and GRACE risk scores: sustained prognostic value and interaction with revascularization in NSTEMI-ACS. *Eur Heart J* 2005;26:865-872.
4. Gale CP, Manda SO, Weston CF, Birkhead JS, Batin PD, Hall AS. Evaluation of risk scores for risk stratification of acute coronary syndromes in the Myocardial Infarction National Audit Project (MINAP) database. *Heart*. 2009;95:221-227.
5. Kozieradzka A, Kaminski KA, Maciorkowska D, et al. GRACE, TIMI, Zwolle and CADILLAC risk scores - Do they predict 5-year outcomes after ST-elevation myocardial infarction treated invasively? *Int J Cardiol* 2009.

6. Lev EI, Kornowski R, Vaknin-Assa H, Porter A, Teplitsky I, Ben-Dor I, Brosh D, Fuchs S, Battler A, Assali A. Comparison of the predictive value of four different risk scores for outcomes of patients with st-elevation acute myocardial infarction undergoing primary percutaneous coronary intervention. *Am J Cardiol.* 2008;102:6-11 [query error over analysis]
7. McLean S, Phillips A, Carruthers K, Fox KAA. Use of the GRACE score by cardiology nurse specialists in the emergency department. *Br J Cardiac Nurs* 2010;5(2):91-95.
8. Tang EW, Wong CK, Herbison P. Global Registry of Acute Coronary Events (GRACE) hospital discharge risk score accurately predicts long-term mortality post acute coronary syndrome. *Am Heart J* 2007;153:29-35.
9. Yan AT, Jong P, Yan RT, Tan M, Fitchett D, Chow CM, Roe MT, Pieper KS, Langer A, Goodman SG. Clinical trial--derived risk model may not generalize to real-world patients with acute coronary syndrome. *Am Heart J* 2004;148:1020-1027.
10. Yan AT, Yan RT, Tan M, Casanova A, Labinaz M, Sridhar K, Fitchett DH, Langer A, Goodman SG. Risk scores for risk stratification in acute coronary syndromes: useful but simpler is not necessarily better. *Eur Heart J* 2007;28:1072-1078.

Abstracts

1. Agnelli G, López-Sendón J, Dabbous OH, Lopez de Sa E, Gore JM, Brieger D, Van de Werf F, Gurfinkel EP, Fox KAA, for the GRACE Investigators. Bleeding events with lytics and thienopyridines in patients with ST-segment elevation myocardial infarction. The Global Registry of Acute Coronary Events. *J Thromb Haemost* 2005; 3(1):P1017.
2. Agnelli G, Moscucci M, Fox KAA, Cannon CP, Klein W, White K, López-Sendón J, Montalescot G, Goldberg RJ, for the GRACE Investigators. Preventing major bleeding in acute coronary syndromes (ACS): lessons learned from the Global Registry of Acute Coronary Events (GRACE). *Thromb Haemost* 2001;86(Suppl 1):OC210.
3. Akbar Ali O, Gurfinkel EP, Gore JM, Fox KAA, Budaj A, Agnelli G, Anderson FA, Dedrick R, Brieger D, for the GRACE Investigators. Relationship between white cell count, blood sugar level and mortality in acute coronary syndromes. The Global Registry of Acute Coronary Events. *J Am Coll Cardiol* 2006; 47(4):261A.
4. Ambrosio G, Dabbous OH, del Pinto M, Tritto I, Agnelli G, Kennelly BM, López-Sendón J, Anderson FA, for the GRACE Investigators. Chronic nitrate therapy is associated with different clinical presentation of acute coronary syndromes. A possible mechanism of cardiac preconditioning? The Global Registry of Acute Coronary Events. *Eur Heart J* 2005;26(Abstract Suppl.):49.
5. Anderson FA, Dabbous OH, Goldberg RJ, Fox KAA, Eagle KA, Avezum Á, Gurfinkel EP, Gore JM, for the GRACE Investigators. Persistent failure to close the age and gender gap in the use of evidence-based therapies in acute coronary syndromes: temporal trends (1999–2003) in the Global Registry of Acute Coronary Events. *Circulation* 2004;110(17 Suppl III):III-798.
6. Avezum Á, Knobel M, Goldberg RJ, Sadiq I, Saperia G, Smyth T, Paoloni R, Brieger D, Kuznetsova P, Gore JM, the GRACE Investigators. Incidence and prognosis of ventricular tachycardia and ventricular fibrillation after non-ST elevation acute coronary syndromes: insights from the Global Registry of Acute Coronary Events. *J Am Coll Cardiol* 2004;43(5 Suppl A):116A.
7. Avezum Á, Piegas LS, Goldberg RJ, Brieger DB, Stiles MK, Huang W, Gore JM. Prognosis and Predictors of Ventricular Tachycardia and Ventricular Fibrillation with Acute Coronary Syndromes. The Global Registry of Acute Coronary Events. *Heart Rhythm* 2007;4(5):S80
8. Bakhai A, Dabbous OH, Cohen DJ, Flather MD, Greenberg D, Anderson FA Jr, Gurfinkel EP, White K, Fox KAA, the GRACE Investigators. Interhospital transfers are costly, cause delays and do not address the imbalance of access to revascularization: the case for more angiographic facilities? Results from the Global Registry of Acute Coronary Events. *J Am Coll Cardiol* 2004;43(5 Suppl A):402A.
9. Barringhaus K, Montalescot G, Steg PG, Van de Werf F, López-Sendón J, Anderson FA, Dedrick R, Gore JM, for the GRACE Investigators. Risk-adjusted in-hospital mortality is similar between patients undergoing coronary artery bypass grafting vs percutaneous coronary intervention for residual multi-vessel disease following primary percutaneous revascularization. *J Am Coll Cardiol* 2007;49(Suppl I):195A
10. Barringhaus KG, McManus DD, Steg PG, Montalescot G, Van de Werf F, López-Sendón J, Dedrick R, Gore JM, for the GRACE Investigators. Staged PCI for Residual multi-vessel disease following primary PCI is associated with low mortality. *JACC* 2009 (in press).
11. Biasi Cavalcanti A, Avezum Á, Steg PG, Fox KAA, Van de Werf F, Montalescot G, Dabbous OH, Knobel E, for the GRACE Investigators. Hyperglycemia increases hospital mortality in patients with acute coronary syndromes. Results from the Global Registry of Acute Coronary Events. *Circulation* 2004;110(17 Suppl III):III-785.
12. Botkin N, Spencer FA, Goldberg RJ, Furman M, Montalescot G, Brieger D, Malone S, Gore JM, for the GRACE Investigators. Increasing occurrence of multivessel intervention and multiple stent placement from 1999 to 2004. The Global Registry of Acute Coronary Events. *J Am Coll Cardiol* 2006;47(4):261A.
13. Brieger D, Dabbous OH, Eagle KA, Budaj A, Avezum Á, Granger CB, Costa B, Steg PhG, for the GRACE Investigators. Deriving a safety index from the GRACE risk score. *Eur Heart J* 2005; 26(Abstract Suppl.):566.
14. Brieger D, Eagle KA, Goodman SG, López-Sendón J, Steg PhG, Budaj A, White K, Montalescot G, on behalf of the GRACE Investigators. Atypical presentation of ACS independently predicts MI and increased in-hospital mortality: insights from the GRACE registry. *Eur Heart J* 2002;23(Abstr Suppl):105.
15. Brieger D, Fox KAA, Kritharides L, Anderson FA, Johnson J, Sadiq I, Klein W, Avezum Á. Limited impact of treatment with statins on early outcomes in unselected patients with acute coronary syndromes. Insights from the Global Registry of Acute Coronary Events. *J Am Coll Cardiol* 2002; A39.
16. Brieger D, Gore JM, Goldberg RJ, Spencer F, DiBenedetto D, Eagle KA, Steg PG, Allegrone J, Fox KAA, for the GRACE Investigators. Early use of low-molecular-weight or unfractionated heparin in patients with non-ST-segment elevation myocardial infarction and unstable angina. The Global Registry of Acute Coronary Events. *J Thromb Haemost* 2005;3(1):P1693.

17. Brieger D, Nussbacher A, Knobel M, Allegrone J, Avezum Á. Predictors of in-hospital coronary artery bypass grafting across the spectrum of acute coronary syndromes: an analysis from the Global Registry of Acute Coronary Events. *Eur Heart J* 2003;24(Abstr Suppl):71.
18. Brito V, Perez de la Hoz R, Sampó E, Duronto E, Dabbous OH, Gowda N, Gurfinkel EP, the GRACE Investigators. Therapeutic strategies and outcomes in patients with previous coronary artery bypass graft following a new acute coronary syndrome: insights from the GRACE experience. *J Am Coll Cardiol* 2004;43(5 Suppl A):274A.
19. Budaj A, Brieger D, Steg PG, for the GRACE Investigators. Global patterns of use of thrombolytic, antithrombotic and antiplatelet therapy in patients with acute coronary events; insights from the Global Registry of Acute Coronary Events (GRACE). *Eur Heart J* 2000;21(Abstr Suppl):177.
20. Budaj A, Flaszinska K, Goldberg RJ, Gore JM, Dabbous O, Spencer F, Kuznetsova P, Fox KAA. Magnitude of, and risk factors for, stroke in patients with acute coronary syndromes. The Global Registry of Acute Coronary Events. *Eur Heart J* 2003;24(Abstr Suppl):354.
21. Budaj A, Flaszinska K, Gurfinkel EP, Gore JM, López-Sendón J, Brieger D, Kannelly BM, FitzGerald G, Fox KAA, for the GRACE Investigators. Stroke risk score in patients with acute coronary syndromes. The Global Registry of Acute Coronary Events. *Circulation* 2007;116(Abstr Suppl):II_857.
22. Budaj A, Van de Werf F, Lim HS, Goldberg RG, Montalescot G, Gore JM, Dedrick R, Brieger D. Young patients with acute coronary syndromes have different clinical characteristics and better outcomes than older patients. The Global Registry of Acute Coronary Events. *Eur Heart J* 2007;28(Abstr Suppl):559.
23. Cannon CP, Brieger D, Van de Werf F, Avezum Á, Lankes W, Kannelly B, Agnelli G, Mazurek T, Kasper RS, Montalescot G. Safety of the combination of low-molecular weight heparin and glycoprotein IIb/IIIa inhibitors: observations from the Global Registry of Acute Coronary Events (GRACE). *Eur Heart J* 2001;22(Abstr Suppl):592.
24. Chew D, Anderson FA, Avezum Á, Eagle KA, Gulba D, Gore JM, Dedrick R, Brieger D, for the GRACE Investigators. Impact of clinical guideline adherence on 6-month survival: nested case-control analysis from the Global Registry of Acute Coronary Events. *Eur Heart J* 2006;27(Abstr Suppl):304.
25. Collet J-P, Agnelli G, Van de Werf F, Brieger D, Gurfinkel EP, López-Sendón J, Gowda N, Montalescot G, on behalf of the GRACE Investigators. Low-molecular-weight heparin alone and with IIb/IIIa inhibitors in patients with renal failure and non-ST-elevation acute coronary syndromes: insights from the Global Registry of Acute Coronary Events. *J Am Coll Cardiol* 2003;41(6 Suppl A):335A.
26. Dauerman HL, Goldberg RJ, White K, Gurfinkel EP, Lopez de Sa E, López-Sendón J, Gore JM. Global use of revascularization for patients in cardiogenic shock: findings from the Global Registry of Acute Coronary Events (GRACE). *Circulation* 2001;104(17 Suppl II):II-465.
27. Devlin G, Gore JM, Elliott J, Avezum Á, Eagle KA, Anderson FA, Huang W, Brieger D, for the GRACE Investigators. Improved outcomes after in-hospital revascularization in the elderly and very elderly with high-risk non-ST-elevation acute coronary syndromes. The Global Registry of Acute Coronary Events. *J Am Coll Cardiol* 2006;47(4):252A.
28. Devlin G, Sadiq I, Heald S, Davidson M, López-Sendón J, Brieger D, Avezum Á, Elliott JM. Is low risk no risk? Management of low risk patients presenting with acute coronary syndromes in the Global Registry of Acute Coronary Events (GRACE). *Eur Heart J* 2001;22(Abstr Suppl):525.
29. Devlin G, Swanson N, Silverstone A, Montalescot G, Eagle KA, Goodman SG, Huang W, Brieger D. Do treatment delays influence outcomes following presentation with non-ST elevation acute coronary syndrome? The GRACE registry. *Eur Heart J* 2007;28(Abstr Suppl):65.
30. Dey S, Fox KAA, Gurfinkel EP, Anderson Jr., FA, Gowda N, Brieger D, Eagle KA, for the GRACE Investigators. Apparent gender bias in the treatment of women with an acute coronary syndrome. The Global Registry of Acute Coronary Events. *Eur Heart J* 2005; 26(Abstr Suppl.):216.
31. Dey S, Klein W, Flather MD, Devlin G, Brieger D, Gowda N, Eagle KA, for the GRACE Investigators. Coronary disease in women is different from that in men with acute coronary syndromes: insights from the Global Registry of Acute Coronary Events. *Circulation* 2003;108(17 Suppl IV):IV-717.
32. Duronto D, Gurfinkel EP, Eagle KA, Goldberg RJ, Brieger D, Freedman B, Jelinek M, Fitzgerald G, Gore JM. Distinguishing Features of Mild vs Severe Coronary Artery Disease in Patients With Acute Coronary Syndromes. The Global Registry of Acute Coronary Events. *Circulation* 2008.
33. Eagle K, for the GRACE Investigators. Practice variation in reperfusion strategies for ST-segment elevation myocardial infarction – early findings from the Global Registry of Acute Coronary Events (GRACE). *Eur Heart J* 2000;21(Abstr Suppl):527.
34. Eagle K, Gore JM, Sullivan CM, Goldberg RJ, Granger C, Fox KAA, Sadiq I. Estimating the risk of adverse outcomes in the ‘average patient’ with acute coronary syndromes: comparing a risk model from a clinical trial to that developed in a similar cohort in the GRACE registry. *Eur Heart J* 2001;22(Abstr Suppl):524.

35. Eagle KA, Lim MJ, Budaj A, Dabbous OH, Pieper K, Goodman SG, Granger CB, Steg PhG, Gore JM, Fox KAA, on behalf of the GRACE Investigators. A robust prediction model for all forms of acute coronary syndromes: estimating the risk of in-hospital death and myocardial infarction in the Global Registry of Acute Coronary Events Registry. *J Am Coll Cardiol* 2003;41(6 Suppl A):353A.
36. Eagle KA, Mehta RH, Nallamothu BK, Granger CB, Steg PhG, Van de Werf F, López-Sendón J, Goodman SG, Allegro J, Fox KAA, for The GRACE Investigators. Global reperfusion therapy in acute myocardial infarction - 1999 to 2004: we're getting better, but we have a long way to go. *The Global Registry of Acute Coronary Events. Circulation* 2005;112(Suppl):II-794-II-795.
37. Emery M, López-Sendón JL, Steg PG, Anderson FA, Dabbous O, Scheuble A, Eagle KE, for the GRACE Investigators. Patterns of use and potential impact of early beta-blocker therapy in non-ST-elevation myocardial infarctions with and without heart failure. Insights from the Global Registry of Acute Coronary Events. *J Am Coll Cardiol* 2005; 45 (3 Suppl A):188A.
38. Fox KA, Gore JM, Montalescot G, Mukherjee D, Gowda N, Steg PhG, for the GRACE Investigators. Impact of insulin treatment on patients with ST-segment elevation myocardial infarction. *The Global Registry of Acute Coronary Events. Circulation* 2003;108(17 Suppl IV):IV-746.
39. Fox KAA, Anderson FA, Dabbous OH, Goodman SG, Gore JM. Time course of events following presentation with acute coronary syndrome: observations from 33,402 patients in the Global Registry of Acute Coronary Events. *Eur Heart J* 2005; 26(Abstract Suppl.):118.
40. Fox KAA, Carruthers K, Motivala A, Avezum A, Granger CB, Montalescot G, Goodman SG, Gore JM, Quill AL, Eagle KA. Has the frequency of bleeding improved over time for patients presenting with an acute coronary syndrome? The GRACE Registry. *Eur Heart J* 2008;29(Abstr Suppl), 326.
41. Fox KAA, Dabbous OH, Steg PG, López-Sendón J, Van de Werf F, Budaj A, Gurfinkel EP, Brieger D, for the GRACE Investigators. Intervention in acute coronary syndromes: do patients undergo intervention on the basis of their risk characteristics? Findings of the multinational GRACE registry. *Eur Heart J* 2004;25(Abstr Suppl):2109.
42. Fox KAA, for the GRACE Investigators. Management of high-risk unstable angina and non-ST elevation myocardial infarction: variations in practice. Findings from the Global Registry of Acute Coronary Events (GRACE). *Eur Heart J* 2000;21(Abstr Suppl):246.
43. Fox KAA, Goldberg RJ, Pieper K, Cannon CP, Van de Werf F, Goodman SG, Dabbous O, Granger CB, on behalf of the GRACE Investigators. Predictors of in-hospital mortality in the Global Registry of Acute Coronary Events (GRACE). *Eur Heart J* 2002;23(Abstr Suppl):626.
44. Fox KAA, Goodman SG, Anderson FA, Granger CB, Moscucci M, Flather MD, Spencer FA, Budaj A, Dabbous OH, Gore JM, on behalf of the GRACE Investigators. Influence of guidelines and results from major clinical trials on medical practice: findings from the Global Registry of Acute Coronary Events (GRACE). *J Am Coll Cardiol* 2003;41(6 Suppl A):518A.
45. Fox KAA, Steg PhG, Goldberg RJ, Gore JM, Granger CB, Avezum Á, Eagle KA, Fitzgerald G, Van De Werf F. Can we predict non-fatal cardiovascular events in acute coronary syndrome? *The Global Registry of Acute Coronary Events. Eur Heart J* 2007;28(Abstr Suppl):689.
46. Froehlich JB, Mukherjee D, Avezum Á, Budaj A, Kline-Rogers EM, López-Sendón J, Johnson J, Eagle KA, Mehta RH. Quality of care for patients with peripheral vascular disease during acute coronary syndromes: insights from the Global Registry of Acute Coronary Events (GRACE). *J Am Coll Cardiol* 2003;41(6 Suppl A):252A.
47. Furman MI, Davidson MC, Anderson FA Jr, Budaj A, Goodman SG, Avezum Á, López-Sendón J, Klein W, Gore JM. Relationship between elevated leukocyte count and hospital clinical events in patients with acute coronary syndromes: findings from the Global Registry of Acute Coronary Events. *Circulation* 2001;104(17 Suppl II):II-650.
48. Goldberg R, Spencer F, Steg PhG, López-Sendón J, Kennelly B, Flather MD, Montalescot G, Gurfinkel EP, Kuznetsova P, Gore J, the GRACE Investigators. Trends in the use of effective cardiac medications in patients with acute myocardial infarction: the GRACE experience. *J Am Coll Cardiol* 2004;43(5 Suppl A):262A.
49. Goldberg RJ, Spencer F, Gore JM, Sadiq I, Sullivan C, Fox KAA, Steg PhG, Eagle KA, Granger C, Avezum Á. Six month prognosis after hospital discharge in patients with acute coronary syndromes: the GRACE project. *J Am Coll Cardiol* 2001;37(2 Suppl A):315A.
50. Goldberg RJ, Spencer FA, López-Sendón J, Van de Werf F, Montalescot G, Anderson FA, Malone S, Granger CB. International and time trends in the use and characteristics of patients with acute coronary syndromes treated with clopidogrel: the GRACE experience. *Eur Heart J* 2005; 26(Abstract Suppl.):160.
51. Goodman S, Johnson J, Sullivan C, Steg PhG, Eagle K, Fox KAA, López-Sendón J, Montalescot G, Budaj A, Kennelly B, Gore J, for the GRACE Investigators. What is an MI? Prospective analysis of the diagnostic and prognostic impact of adding troponins to the definition of myocardial infarction. *J Am Coll Cardiol* 2001;37(2 Suppl A):358A.

52. Goodman SG, Granger CB, White K, Brieger D, Budaj A, Dabbous OH, Steg PhG, on behalf of the GRACE Investigators. Acute coronary syndrome patients with ST-segment depression have substantial mortality rates but undergo less aggressive management strategies: insights from the Global Registry of Acute Coronary Events (GRACE). *J Am Coll Cardiol* 2003;41(6 Suppl A):325A.
53. Goodman SG, Yan AT, Allegrone J, López-Sendón J, Granger CB, Gore JM, Budaj A, Georgescu AA, Hassan Q, Luchansky J, Van de Werf F, for the GRACE ECG Substudy Investigators. Disagreement in the interpretation of the admission electrocardiogram in acute coronary syndromes and association with clinical outcome: real-world insights from GRACE. *J Am Coll Cardiol* 2005; 45 (3 Suppl A):219A.
54. Gore JM, Burns M, Goldberg RJ, Allegrone J, Montalescot G, Spencer FA, Smyth T, Brieger D, for the GRACE Investigators. Prehospital delay, receipt of reperfusion therapy, and hospital outcomes. Observations from the Global Registry of Acute Coronary Events. *Circulation* 2004;110(17 Suppl III):III-765.
55. Gore J, Fox KAA, Eagle KA, Furman M, Van de Werf F, Montalescot G, Goodman SG, Avezum Á, Huang W, Steg PhG. Increased all-cause mortality at 2 year follow-up after PCI with drug-eluting stents vs bare metal stents in acute coronary syndromes: the GRACE registry experience. *Eur Heart J* 2007 [hotline presentation].
56. Gore JM, Goldberg RJ, Saperia G, Brieger D, Gurfinkel EP, Campo A, Steg PG, Allegrone J, Spencer FA, for the GRACE Investigators. Does time of day and day of the week affect the receipt of reperfusion therapy and hospital outcomes? The Global Registry of Acute Coronary Events. *J Am Coll Cardiol* 2005; 45 (3 Suppl A):186A.
57. Gore JM, Goldberg RJ, Spencer F, DiBenedetto D, Eagle KA, Steg PG, Allegrone J, Fox KAA, for the GRACE Investigators. Early use of low-molecular-weight or unfractionated heparin in patients with non-ST-segment elevation myocardial infarction and unstable angina: the GRACE experience. *Eur Heart J* 2004; 25(Abstr Suppl):1514.
58. Gore JM, Marre M, Steg PhG, Brieger D, Quill A, Goodman SG, for the GRACE Investigators. Treatment and outcome of diabetic patients with an acute coronary syndrome: has there been any improvement over time? The GRACE registry. *J Am Coll Cardiol* 2008; 51(10 Suppl A):1012-134.
59. Gore JM, Spencer FA, Marre M, Goldberg RJ, Klein W, Kasper RS, Budaj A, Mazurek T, Steg PhG, for the GRACE Investigators. Impact and treatment of diabetes (Type I and II) on prognosis in acute coronary syndromes – results from the Global Registry of Acute Coronary Events. *J Am Coll Cardiol* 2001;37(2 Suppl A):508A.
60. Gore JM, Spencer FA, Gurfinkel EP, López-Sendón J, Anderson FA, FitzGerald G, Granger CB. Incidence of heparin-induced thrombocytopenia lower than expected in patients with acute coronary syndromes. *The Global Registry of Acute Coronary Events. Circulation* 2006;114(18 Suppl. II):II-863.
61. Granger C, López-Sendón J, Van de Werf F, Kline-Rogers E, Anderson FA, Johnson J, Sadiq I, Klein W, Eagle KA, for the GRACE Investigators. Applying the evidence in acute coronary syndromes: a report card from the Global Registry of Acute Coronary Events. *J Am Coll Cardiol* 2001;37(2 Suppl A):503A.
62. Gulba DC, Lankes W, López-Sendón J, Lim MJ, Kline-Rogers E, Herbrandt R, Aler D, Kuznetsova P, Mehta R. Reduced risk of bleeding complications in patients with renal insufficiency and acute coronary syndromes treated with low-molecular-weight heparin: insights from GRACE. *Circulation* 2002;106(19 Suppl II):II-337.
63. Gurfinkel E, Durrone E, Guerloy F, Kennelly BM, López-Sendón J, Avezum Á, Beck E, Eagle KA, Fitzgerald G, Gore JM. Utility of the Global Registry of Acute Coronary Events Risk Score in Mild or Severe Obstructive Coronary Artery Disease in Non-ST-segment Elevation Acute Coronary Syndromes. *Circulation* 2008.
64. Gurfinkel EP, Klein W, Goodman SG, Avezum Á, Lopez de Sa E, Durrone E, Sadiq I, Goldberg RJ, Johnson J. 'Nécrosette' infarction versus traditionally defined non-ST-segment elevation myocardial infarction (NSTEMI) and in-hospital course. Findings from the Global Registry of Acute Coronary Events (GRACE). *Eur Heart J* 2001;22(Abstr Suppl):519.
65. Gurm HS, Steg PG, Montalescot G, Fox KAA, Gore JM, Dedrick R, Eagle KA. White elephant or useful tool? Incremental prognostic value of C-reactive protein in patients with acute coronary syndromes. The GRACE registry. *Circulation* 2007;116(Abstr Suppl):II_859.
66. Jelinek M, Goodman SG, López-Sendón J, Gurfinkel E, White K, Brieger D, on behalf of the GRACE Investigators. The impact of the new definition of acute myocardial infarction on patients discharged with unstable angina pectoris. Six-month outcomes: the Global Registry of Acute Coronary Events (GRACE). *Eur Heart J* 2003;24(Abstr Suppl):723.
67. Jolly S, Goodman SG, Shenkman H, Brieger D, Fox KAA, Yan AT, Allegrone J, Eagle KA, for the GRACE Investigators. Quantitative troponin predicts cardiogenic shock, sustained ventricular arrhythmias, cardiac arrest and reinfarction in non-ST-elevation acute coronary syndromes. The GRACE Registry. *Eur Heart J* 2006;27(Abstract Suppl):223.
68. Kerner K, Feldman L, FitzGerald G, Van de Werf F, López-Sendón J, Gore JM, Anderson FA, Avezum Á, Steg PG, for the GRACE Investigators. Impact of Revascularization on Outcomes in Patients with Non-ST-Elevation Acute Coronary Syndrome and Congestive Heart Failure. The Global Registry of Acute Coronary Events (GRACE). *Eur Heart J* 2008;29(Abstr Suppl), 514.

69. Klein W, Kraxner W, Hödls R, Steg PhG, Budaj A, Gulba D, Van de Werf F, Sadiq I, White K, Fox KAA, for the GRACE Investigators. Improved survival and reduced bleeding with low-molecular-weight heparin across all acute coronary syndromes subsets: findings from the Global Registry of Acute Coronary Events (GRACE). *J Am Coll Cardiol* 2002;39(5 Suppl A):444A.
70. LaBounty T, Gurm HS, Goodman SG, Montalescot G, López-Sendón J, Quill AL, Eagle KA, for the GRACE Investigators. Predictors and implications of Q-waves in ST-elevation myocardial infarction: A contemporary perspective from the Global Registry of Acute Coronary Events. *Circulation* 2007;116(Abstr Suppl):II_526.
71. Lankes W, Gulba D, Johnson J, Forth J, on behalf of the GRACE Investigators. Acute coronary syndromes in the elderly: insights from the GRACE registry. *Eur Heart J* 2002;23(Abstr Suppl):502.
72. Lankes W, Himbert D, Littwitz H, White K, Gulba D, on behalf of the GRACE Investigators. Impact of smoking status on outcomes in acute coronary syndromes: the ex-smokers' paradox. *Eur Heart J* 2002;23(Abstr Suppl):361.
73. Lim MJ, Eagle KA, Gore JM, Goldberg RJ, Mehta RH, Granger CB, Dabbous OH, Spencer FA, on behalf of the GRACE Investigators. Treating patients with acute coronary syndromes with aggressive anti-platelet agents in the GRACE registry: no observed decrease in in-hospital mortality but increased bleeding complications. *Eur Heart J* 2003;24(Abstr Suppl):547.
74. Lim MJ, Spencer FA, Gore JM, Dabbous OH, Kline-Rogers EM, Goldberg RJ, DiBenedetto D, Eagle KA, Mehta RH, on behalf of the GRACE Investigators. Six-month mortality rates are lower in patients with an acute coronary syndrome treated with the combination of clopidogrel and a statin than in patients treated with either therapy alone. An analysis from the Global Registry of Acute Coronary Events. *J Am Coll Cardiol* 2003;41(6 Suppl A):361A.
75. López-Sendón J, Dabbous OH, Lopez de Sa E, Gore JM, Brieger D, Van de Werf F, Gurfinkel EP, Fox KAA, for the GRACE Investigators. Bleeding events with lytics and thienopyridines in patients with ST-segment elevation myocardial infarction: insights from a large clinical practice registry. *Eur Heart J* 2004;25(Abstr Suppl):2056.
76. López-Sendón J, Goodman SG, Steg PG, Brieger D, Eagle KA, Granger CB, Gurfinkel EP, Dedrick R, Gore JM. Heparin therapy during fibrinolysis in ST-segment elevation myocardial infarction: registry data support clinical trial results. *Circulation* 2006;114(18 Suppl. II):II-863.
77. López-Sendón J, Gurfinkel EP, Lopez de Sa E, Agnelli G, Gore JM, Steg PG, FitzGerald G, Granger CB, for the GRACE Investigators. Factors related to heart rupture in acute coronary syndromes. The Global Registry of Acute Coronary Events. *J Am Coll Cardiol* 2008; 51(10 Suppl A):1012-140.
78. Lu SZ, Chen YD, Ge JB, Wu SR, Yan XW, Li WM, Huang W, Anderson Jr., FA, for the GRACE Investigators. How does in-hospital management of acute coronary syndromes compare in Chinese versus European tertiary hospitals? Findings from the Global Registry of Acute Coronary Events. *Eur Heart J* 2005;26(Abstr Suppl.):721.
79. Medi C, Montalescot G, Budaj A, Fox KAA, López-Sendón J, FitzGerald G, Brieger B, for the GRACE Investigators. Revascularization associated with mixed outcomes in acute coronary syndrome patients with chronic kidney disease. The Global Registry of Acute Coronary Events. *J Am Coll Cardiol* 2007; 49(Suppl I):292A
80. Mehta RH, Dabbous O, Kuznetsova P, Kline-Rogers E, Gore J, Goldberg R, Eagle KA, on behalf of the GRACE Investigators. Predictors of new onset atrial fibrillation in patients presenting with acute coronary syndromes and their in-hospital outcomes. *Eur Heart J* 2002;23(Abstr Suppl):584.
81. Mehta RH, Eagle KA, Kline-Rogers E, Goldberg RJ, Gore JM, Avezum Á, Fox KA, Spencer F, Johnson J, Sadiq I, on behalf of the GRACE Investigators. Is primary angioplasty better than thrombolytic therapy in elderly patients with acute myocardial infarction? An insight from the Global Registry of Acute Coronary Events (GRACE). *J Am Coll Cardiol* 2002;39(5 Suppl A):174A.
82. Mehta RH, Van De Werf F, Avezum Á, Agnelli G, Eagle KA, Goldberg RJ, Dabbous OH, Granger CB. Despite geographical heterogeneity in baseline use, guideline-directed treatments for acute coronary syndromes improve in all regions from 1999 to 2003. The Global Registry of Acute Coronary Events. *Circulation* 2005;112(Suppl):II-794.
83. Montalescot G, Brieger D, Eagle KA, Anderson FA, FitzGerald G, Lee MS, Steg PhG, Avezum Á, Goodman SG, Gore JM, for the Global Registry of Acute Coronary Events (GRACE) Investigators. Unprotected Left Main Revascularization in Patients With Acute Coronary Syndromes. *Eur Heart J* 2009 (in press) hotline.
84. Montalescot G, Avezum Á, Brieger D, Kennelly BM, Mazurek T, Gulba D, Van de Werf F, Gore JM, White K, Spencer F. Stenting and glycoprotein IIb/IIIa inhibition in angioplasty for acute myocardial infarction in the global registry of acute coronary events (GRACE). *Eur Heart J* 2001;22(Abstr Suppl):359.
85. Montalescot G, Dabbous O, Lim M, Sadiq I, Gowda N, Mehta R. Expeditive catheterization and outcomes in non-ST elevation ACS: Results from the Global Registry of Acute Coronary Events. *Circulation* 2002;106(19 Suppl II):II-446.
86. Motivala A, Van De Werf F, López-Sendón J, Budaj A, Gore JM, Anderson FA, Eagle KA. Management and outcomes of acute coronary syndromes in patients with or without a prior stroke. The Global Registry of Acute Coronary Events. *Eur Heart J* 2007;28(Abstr Suppl):763-764.

87. Moscucci M, Fox KAA, Cannon CP, Klein W, White K, López-Sendón J, Montalescot G, Goldberg RJ, for the GRACE Investigators. Preventing major bleeding in acute coronary syndromes: lessons learned from the Global Registry of Acute Coronary Events (GRACE). *J Am Coll Cardiol* 2001;37(2 Suppl A):511A.
88. Mukherjee D, Eagle KA, Kline-Rogers E, Agnelli G, Budaj A, Avezum Á, Allegrone J, Steg PG. Acute Coronary Syndrome as a Manifestation of Global Atherosclerosis – Impact of Prior Peripheral Arterial Disease and Stroke on Clinical Outcomes. *The Global Registry of Acute Coronary Events. Eur Heart J* 2005;26(Abstract Suppl.):697.
89. Mukherjee D, Froehlich JB, Kline-Rogers E, Avezum Á, López-Sendón J, Johnson J, Mehta RH. Prognostic implications of peripheral vascular disease in patients with acute coronary syndromes: insights from the Global Registry of Acute Coronary Events (GRACE). *Circulation* 2002;106(19 Suppl II):II-678.
90. Mukherjee D, Kline-Rogers E, Eagle KA, Feldman LJ, Juliard J-M, Allegrone J, Steg PhG, for the GRACE Investigators. Acute coronary syndrome as a manifestation of global atherosclerosis: impact of combination evidence-based therapy on mortality and morbidity in acute coronary syndrome. *The Global Registry of Acute Coronary Events. Eur Heart J* 2006;27(Abstract Suppl):224.
91. Nallamothu BK, Fox KAA, Kennelly BM, Van de Werf F, Gore JM, Steg PhG, Granger CB, Dabbous OH, Kline-Rogers E, Eagle KA, for the GRACE Investigators. Is the relationship of time delay in reperfusion and mortality steeper for fibrinolysis than for primary percutaneous coronary intervention? *The Global Registry of Acute Coronary Events. Circulation* 2005;112(Suppl):II-793.
92. Nguyen M, Lim YL, Walton A, Lefkovits J, Agnelli G, Goodman SG, Budaj A, Gulba DC, Allegrone J, Brieger D, for the GRACE Investigators. Combining warfarin and antiplatelet therapy after coronary stenting in the global registry of acute coronary events: is it safe and effective to use just one antiplatelet agent? *J Am Coll Cardiol* 2006; 47(4):252A.
93. Oliveira GB, Avezum Á, Anderson FA, Dabbous OH, Budaj A, Goldberg RJ, Brieger D, Fox KAA, Granger CB. Evidence-based risk stratification is not optimally used to target proven therapies in non-ST-elevation acute coronary syndromes: the Global Registry of Acute Coronary Events (GRACE). *Circulation* 2004;110(17 Suppl III):III-659.
94. Oliveira G, Granger CB, Van De Werf F, Montalescot G, Fox KAA, Gulba D, Allegrone J, Avezum Á, for the GRACE Investigators. Patients with acute ST-elevation myocardial infarction and prehospital delay to presentation >12 hours: high risk of worse outcomes and selective use of reperfusion therapies. *The GRACE Registry. Eur Heart J* 2006;27(Abstract Suppl):912.
95. Petrina M, Goodman SG, López-Sendón J, Steg PG, Fox KAA, Stiles M, Quill A, Eagle KA, for the GRACE Investigators. The prognostic value of 12-lead ecg in patients presenting with acute coronary syndrome (ACS). *J Am Coll Cardiol* 2007;49(Suppl I):187A
96. Rossi R, Agnelli G, Spencer F, Gore J, Goldberg R, Fox KAA, Moscucci M, Sullivan C, White K, Gurfinkel E, for the GRACE Investigators. Patterns of prior antiplatelet therapy and impact on hospital outcomes in patients with acute coronary syndromes (ACS). Results from the Global Registry of Acute Coronary Events (GRACE). *Thromb Haemost* 2001;86(Suppl 1):P1570.
97. Saab F, Steg PG, Avezum Á, López-Sendón J, Anderson FA, Huang W, Eagle KA. Can an elderly woman's heart be too strong? Increased mortality with high vs. normal ejection fraction after an acute coronary syndrome. *The Global Registry of Acute Coronary Events. Circulation* 2006;114 (18 Suppl. II):II-513.
98. Sadiq I, Dauerman HL, Goldberg RJ, Klein W, Brieger D, Steg PhG, Montalescot G, López-Sendón J, Budaj A, Gore JM, for the GRACE Investigators. Approach after thrombolytic therapy – invasive versus conservative management – Global Registry of Acute Coronary Events. *J Am Coll Cardiol* 2002;39(5 Suppl A):303A.
99. Sadiq I, Eagle KA, Agnelli G, Steg PhG, Sullivan CM, Anderson FA Jr. Role of glycoprotein IIb/IIIa antagonists in patients with acute coronary syndromes: comparison of clinical trial data with the global registry of acute coronary events (GRACE). *Eur Heart J* 2001;22(Abstr Suppl):519.
100. Scheuble A, Emery M, López-Sendón J, Lopez de Sa E, Fondard O, Dabbous OH, Eagle KA, Anderson FA, Steg PG. Patterns of early use of intravenous and oral beta-blockers in ST-segment elevation myocardial infarction in the reperfusion era. *The Global Registry of Acute Coronary Events. Eur Heart J* 2005;26(Abstract Suppl.):159.
101. Spencer F, Gore JM, Goldberg RJ, Fox KAA, Moscucci M, Sullivan CM, White K, Gurfinkel E, for the GRACE Investigators. Patterns in prior antiplatelet therapy and impact on outcome in patients with ACS. Results from the Global Registry of Acute Coronary Events. *J Am Coll Cardiol* 2001;37(2 Suppl A):507A.
102. Spencer FA, Gore JM, Oliveira G, Montalescot G, Fox KAA, Goodman SG, Malone S, Granger CB, for the GRACE Investigators. Determinants of delay in patients undergoing primary angioplasty for ST-segment elevation myocardial infarction. *The Global Registry of Acute Coronary Events. Eur Heart J* 2005;26(Abstract Suppl.):621.
103. Steg PhG, for the GRACE Investigators. The spectrum of acute coronary syndromes: management and outcomes. Insights from the Global Registry of Acute Coronary Events (GRACE). *Eur Heart J* 2000;21(Abstr Suppl):369.

104. Steg PhG, Budaj A, Brieger D, Sullivan C. Use of fibrinolytic and antiplatelet therapies in patients with acute coronary syndromes (ACS). Insights from the Global Registry of Acute Coronary Events (GRACE). *Thromb Haemost* 2001;86(Suppl 1):P1572.
105. Steg PG, Cottin Y, Montalescot G, Van de Werf F, Gulba DC, Fox KAA, Mehta RH, Tchetché D, Dedrick R, Granger CB. Patients on chronic warfarin therapy who present with an acute coronary syndrome are high risk and receive delayed and inadequate treatment. *Circulation* 2006;114 (18 Suppl. II):II-860.
106. Steg PhG, Dabbous O, Cohen-Solal A, Aument M-C, Cannon CP, López-Sendón J, Budaj A, Klein W, for the GRACE Investigators. Determinants and outcomes of congestive heart failure complicating acute coronary syndromes: observations from the Global Registry of Acute Coronary Events. *J Am Coll Cardiol* 2002;39(5 Suppl A):154A.
107. Steg PhG, Dabbous OH, López-Sendón J, Anderson Jr, FA, Gore JM, Fox KAA, for the GRACE Investigators. 'Leading and lagging' hospitals: can processes of care be used to rank hospitals? *Eur Heart J* 2004;25(Abstr Suppl):2486.
108. Steg PhG, Feldman LJ, Bami M, Vahanian A, Eagle KA, López-Sendón J, Dabbous O, Goodman SG, on behalf of the GRACE investigators. Recurrent ischaemia in acute coronary syndromes: differential impact of electrocardiogram changes on outcomes. *Eur Heart J* 2002;23(Abstr Suppl):588.
109. Steg PG, López-Sendón J, Lopez de Sa E, Goodman SG, Gore JM, Anderson FA Jr, Himbert D, Allegrone J, Van de Werf F, for the GRACE Investigators. Comparison of patients with ST-segment elevation myocardial infarction enrolled in fibrinolytic drug trials with trial-eligible and trial-ineligible patients. Findings from the Global Registry of Acute Coronary Events. *Circulation* 2004;110(17 Suppl III):III-783.
110. Steg PG, Van de Werf F, López-Sendón J, Gore JM, Dabbous OH, Feldman L, Anderson FA, Avezum Á, for the GRACE Investigators. Failure to use percutaneous coronary intervention in patients with an acute coronary syndrome and congestive heart failure. The Global Registry of Acute Coronary Events. *J Am Coll Cardiol* 2006;47(4):86A.
111. Stiles MK, Dabbous OH, Fox KAA, for the GRACE Investigators. Bleeding events with and without thienopyridines in patients with unstable angina or non-ST-segment elevation myocardial infarction. Insights from the Global Registry of Acute Coronary Events. *Eur Heart J* 2004;25(Abstr Suppl):1516.
112. Stiles MK, Dabbous OH, Fox KAA, for the GRACE Investigators. Bleeding events with and without thienopyridines in patients with unstable angina or non-ST-segment elevation myocardial infarction. The Global Registry of Acute Coronary Events. *J Thromb Haemost* 2005; 3(1):P1693.
113. Tamirisa K, Gulba DC, Kim C, Klutmann M, Tillmans C, White K, Eagle KA, the GRACE Investigators. Influence of body mass index on acute coronary syndrome outcomes: lessons from the Global Registry of Acute Coronary Events. *J Am Coll Cardiol* 2004;43(5 Suppl A):288A.
114. Van de Werf F, Avezum Á, Goodman S, Budaj A, Brieger D, Gore J, Cannon C, Kennelly B, White K, Gulba D. Interventional procedures and in-hospital outcomes in patients with acute coronary syndromes: observations from the Global Registry of Acute Coronary Events (GRACE). *Eur Heart J* 2001;22(Abstr Suppl):617.
115. Van de Werf F, Brieger D, Avezum A, Fox KAA, Kennelly BM, Montalescot G, Eagle KA, Goodman SG, Dedrick R, Gore JM. Impact of availability of catheterization facilities on clinical outcomes in acute coronary syndromes. The GRACE registry. *Eur Heart J* 2008;29(Abstr Suppl), 67.
116. Vedre A, Gurm HS, Froehlich JB, Kline-Rogers E, Montalescot G, Gore JM, Brieger D, Dedrick R, Eagle KA, for the GRACE Investigators. Impact of chronic statin therapy on arrhythmic events in patients with acute coronary syndromes: Insights from the GRACE registry. *Circulation* 2007;116(Abstr Suppl):II_858.
117. Wang T, Goodman SG, Flather MD, Gurfinkel EP, Quill AL, Menon V. No impact of drug-eluting stents on rates of in-hospital coronary artery bypass surgery following non-ST-segment elevation myocardial infarction. The GRACE registry. *Eur Heart J* 2007;28(Abstr Suppl):735.
118. Yan AT, Goodman SG, Kennelly BM, Anderson Jr., FA, Allegrone J, Steg PhG, for the GRACE Investigators. Prevalence and prognostic significance of ST elevation in aVR: insights from the Global Registry of Acute Coronary Events Electrocardiographic Substudy. *Eur Heart J* 2005;26(Abstr Suppl):282.