

GLOW Bibliography

MANUSCRIPTS

2016

1. Compston JE, Wyman A, FitzGerald G, Adachi JD, Chapurlat RD, Cooper C, Díez-Pérez A, Gehlbach SH, Greenspan SL, Hooven FH, LaCroix AZ, March L, Netelenbos JC, Nieves JW, Pfeilschifter J, Rossini M, Roux C, Saag KG, Siris ES, Silverman S, Watts NB, Anderson FA Jr. Increase in Fracture Risk Following Unintentional Weight Loss in Postmenopausal Women: The Global Longitudinal Study of Osteoporosis in Women. *J Bone Miner Res.* 2016 Jul;31(7):1466-72. doi: 10.1002/jbmr.2810.

2015

2. Silverman S, Curtis J, Saag K, Flahive J, Adachi J, Anderson F, Chapurlat R, Cooper C, Diez-Perez A, Greenspan S, Hooven F, Le Croix A, March L, Netelenbos JC, Nieves J, Pfeilschifter J, Rossini M, Roux C, Siris E, Watts N, Compston J. International management of bone health in glucocorticoid-exposed individuals in the observational GLOW study. *Osteoporos Int.* 2015; 26:419-420.

2014

3. Compston JE, Flahive J, Hooven FH, Anderson FA, Jr., Adachi JD, Boonen S, Chapurlat RD, Cooper C, Diez-Perez A, Greenspan SL, LaCroix AZ, Lindsay R, Netelenbos JC, Pfeilschifter J, Roux C, Saag KG, Silverman S, Siris ES, Watts NB, Gehlbach SH, Investigators G. Obesity, health-care utilization, and health-related quality of life after fracture in postmenopausal women: Global Longitudinal Study of Osteoporosis in Women (GLOW). *Calcif Tissue Int.* 2014; 94:223-231.
4. Compston JE, Flahive J, Hosmer DW, Watts NB, Siris ES, Silverman S, Saag KG, Roux C, Rossini M, Pfeilschifter J, Nieves JW, Netelenbos JC, March L, LaCroix AZ, Hooven FH, Greenspan SL, Gehlbach SH, Diez-Perez A, Cooper C, Chapurlat RD, Boonen S, Anderson FA, Jr., Adami S, Adachi JD, Investigators G. Relationship of weight, height, and body mass index with fracture risk at different sites in postmenopausal women: the Global Longitudinal study of Osteoporosis in Women (GLOW). *J Bone Miner Res.* 2014; 29:487-493.
5. FitzGerald G, Compston JE, Chapurlat RD, Pfeilschifter J, Cooper C, Hosmer DW, Jr., Adachi JD, Anderson FA, Jr., Diez-Perez A, Greenspan SL, Netelenbos JC, Nieves JW, Rossini M, Watts NB, Hooven FH, LaCroix AZ, March L, Roux C, Saag KG, Siris ES, Silverman S, Gehlbach SH. Empirically based composite fracture prediction model from the Global Longitudinal Study of Osteoporosis in Postmenopausal Women (GLOW). *J Clin Endocrinol Metab.* 2014; 99:817-826.
6. Li G, Ioannidis G, Pickard L, Kennedy C, Papaioannou A, Thabane L, Adachi JD. Frailty index of deficit accumulation and falls: data from the Global Longitudinal Study of Osteoporosis in Women (GLOW) Hamilton cohort. *BMC Musculoskelet Disord.* 2014; 15:185.
7. Watts NB, GLOW investigators. Insights from the Global Longitudinal Study of Osteoporosis in Women (GLOW). *Nat Rev Endocrinol.* 2014; 10:412-422.

2013

8. Barcenilla-Wong AL, Chen JS, March LM. Concern and risk perception of osteoporosis and fracture among post-menopausal Australian women: results from the Global Longitudinal Study of Osteoporosis in Women (GLOW) cohort. *Arch Osteoporos*. 2013; 8:155.
9. Costa AG, Wyman A, Siris ES, Watts NB, Silverman S, Saag KG, Roux C, Rossini M, Pfeilschifter J, Nieves JW, Netelenbos JC, March L, LaCroix AZ, Hooven FH, Greenspan SL, Gehlbach SH, Diez-Perez A, Cooper C, Compston JE, Chapurlat RD, Boonen S, Anderson FA, Jr., Adachi JD, Adami S. When, where and how osteoporosis-associated fractures occur: an analysis from the Global Longitudinal Study of Osteoporosis in Women (GLOW). *PLoS One*. 2013; 8:e83306.
10. Diez-Perez A, Adachi JD, Adami S, Anderson FA, Jr., Boonen S, Chapurlat R, Compston JE, Cooper C, Gehlbach SH, Greenspan SL, Hooven FH, LaCroix AZ, Nieves JW, Netelenbos JC, Pfeilschifter J, Rossini M, Roux C, Saag KG, Silverman S, Siris ES, Wyman A, Rushton-Smith SK, Watts NB, Global Longitudinal Study of Osteoporosis in Women I. Risk factors for treatment failure with antiosteoporosis medication: the global longitudinal study of osteoporosis in women (GLOW). *J Bone Miner Res*. 2014; 29:260-267.
11. Gehlbach S, Hooven FH, Wyman A, Diez-Perez A, Adachi JD, Luo X, Bushmakina AG, Anderson FA, Investigators G. Patterns of anti-osteoporosis medication use among women at high risk of fracture: findings from the Global Longitudinal Study of Osteoporosis in Women (GLOW). *PLoS One*. 2013; 8:e82840.
12. Gregson CL, Dennison EM, Compston JE, Adami S, Adachi JD, Anderson FA, Jr., Boonen S, Chapurlat R, Diez-Perez A, Greenspan SL, Hooven FH, LaCroix AZ, Nieves JW, Netelenbos JC, Pfeilschifter J, Rossini M, Roux C, Saag KG, Silverman S, Siris ES, Watts NB, Wyman A, Cooper C, Investigators G. Disease-specific perception of fracture risk and incident fracture rates: GLOW cohort study. *Osteoporos Int*. 2014; 25:85-95.
13. Tom SE, Adachi JD, Anderson FA, Jr., Boonen S, Chapurlat RD, Compston JE, Cooper C, Gehlbach SH, Greenspan SL, Hooven FH, Nieves JW, Pfeilschifter J, Roux C, Silverman S, Wyman A, LaCroix AZ, Investigators G. Frailty and fracture, disability, and falls: a multiple country study from the global longitudinal study of osteoporosis in women. *J Am Geriatr Soc*. 2013; 61:327-334.

2012

14. Dennison EM, Compston JE, Flahive J, Siris ES, Gehlbach SH, Adachi JD, Boonen S, Chapurlat R, Díez-Pérez A, Anderson Jr FA, Hooven FH, LaCroix A, Lindsay R, Netelenbos JC, Pfeilschifter J, Rossini M, Roux C, Saag KG, Sambrook PN, Silverman S, Watts NB, Greenspan SL, Premaor M, Cooper C, for the GLOW Investigators. Effect of co-morbidities on fracture risk: Findings from the Global Longitudinal Study of Osteoporosis in Women (GLOW). *Bone* 2012;50:1288-93.
15. FitzGerald G, Boonen S, Compston JE, Pfeilschifter J, LaCroix AZ, Hosmer DW, Hooven FH, Gehlbach SH; for the GLOW Investigators. Differing Risk Profiles for Individual Fracture Sites:

Evidence from the Global Longitudinal Study of Osteoporosis in Women (GLOW). *J Bone Miner Res* 2012;27:1907-15.

16. Gehlbach S, Saag KG, Adachi JD, Hooven FH, Flahive J, Boonen S, Chapurlat RD, Compston JE, Cooper C, Díez-Perez A, Greenspan SL, LaCroix AZ, Netelenbos JC, Pfeilschifter J, Rossini M, Roux C, Sambrook PN, Silverman S, Siris ES, Watts NB, Lindsay R. Previous fractures at multiple sites increase the risk for subsequent fractures: The Global Longitudinal Study of Osteoporosis in Women. *J Bone Miner Res* 2012;27:645-53.
17. Greenspan SL, Adami S, Gehlbach S, Anderson FA, Boonen S, Hooven FH, LaCroix AZ, Lindsay R, Netelenbos JC, Pfeilschifter J, Silverman S, Siris ES, Wyman A, Watts NB. Predictors of treatment with osteoporosis medications following recent fragility fractures in a multinational cohort of postmenopausal women, GLOW. *J Am Geriatr Soc* 2012;60(3):455-6.
18. Guggina P, Flahive J, Hooven FH, Watts NB, Siris ES, Silverman S, Roux C, Pfeilschifter J, Greenspan SL, Díez-Pérez A, Cooper C, Compston JE, Chapurlat R, Boonen S, Adachi JD, Anderson FA, Gehlbach S, for the GLOW Investigators. Characteristics associated with anti-osteoporosis medication use: data from the Global Longitudinal Study of Osteoporosis in Women (GLOW) USA cohort. *Bone* 2012;51(6):975-980.
19. Ioannidis G, Flahive J, Pickard L, Papaioannou A, Chapurlat RD, Saag KG, Silverman S, Anderson Jr, FA, Gehlbach SH, Hooven FH, Boonen S, Compston JE, Cooper C, Díez-Perez A, Greenspan SL, LaCroix AZ, Lindsay R, Netelenbos JC, Pfeilschifter J, Rossini M, Roux C, Sambrook PN, Siris ES, Watts NB, Adachi JD, for the GLOW Investigators. Non-hip, non-spine fractures drive healthcare utilization following a fracture: the Global Longitudinal Study of Osteoporosis in Women (GLOW). *Osteoporos Int*. Apr 12, 2012. [Epub ahead of print] DOI: 10.1007/s00198-012-1968-z.
20. Pfeilschifter J, Cooper C, Watts NB, Flahive J, Saag KG, Adachi JD, Boonen S, Chapurlat R, Compston JE, Díez-Pérez A, LaCroix AZ, Netelenbos JC, Rossini M, Roux C, Sambrook PN, Silverman S, Siris ES. Regional and age-related variations in the proportions of hip fractures and major fractures among postmenopausal women: the Global Longitudinal Study of Osteoporosis in Women. *Osteoporos Int* 2012;23:2179-88.
21. Prieto-Alhambra D, Nogues X, Kassim Javaid M, Wyman A, Arden NK, Azagra R, Cooper C, Adachi JD, Boonen S, Chapurlat RD, Compston JE, Gehlbach SH, Greenspan SL, Hooven FH, Netelenbos JC, Pfeilschifter J, Rossini M, Sambrook PN, Silverman S, Siris ES, Watts NB, Díez-Pérez A. An increased rate of falling leads to a rise in fracture risk in postmenopausal women with self-reported osteoarthritis: a prospective multinational cohort study (GLOW). *Annals Rheum Dis* 2013;72(6):911-7. doi: 10.1136/annrheumdis-2012-201451.
22. Roux C, Wyman A, Hooven FH, Gehlbach SH, Adachi JD, Chapurlat RD, Compston JE, Cooper C, Díez-Pérez A, Greenspan SL, LaCroix AZ, Netelenbos JC, Pfeilschifter J, Rossini M, Saag KG, Sambrook PN, Silverman S, Siris ES, Watts NB, Boonen S, for the GLOW Investigators. Burden of non-hip, non-vertebral fractures on quality of life in postmenopausal women: the Global Longitudinal study of Osteoporosis in Women (GLOW). *Osteoporos Int*. Mar 8, 2012 [Epub ahead of print]. 10.1007/s00198-012-1935-8

2011

23. Compston JE, Watts NB, Chapurlat R, Cooper C, Boonen S, Greenspan S, Pfeilschifter J, Silverman S, Díez-Pérez A, Lindsay R, Saag KG, Netelenbos JC, Gehlbach S, Hooven FH, Flahive J, Adachi JD, Rossini M, LaCroix AZ, Roux C, Sambrook PN, Siris ES; GLOW Investigators. Obesity is not protective against fracture in postmenopausal women: GLOW. *Am J Med* 2011;124(11):1043-50.
24. Díez-Pérez A, Hooven FH, Adachi JD, Adami S, Anderson FA, Boonen S, Chapurlat R, Compston JE, Cooper C, Delmas P, Greenspan SL, LaCroix AZ, Lindsay R, Netelenbos JC, Pfeilschifter J, Roux C, Saag KG, Sambrook P, Silverman S, Siris ES, Watts NB, Nika G, Gehlbach SH. Regional differences in treatment for osteoporosis. The Global Longitudinal Study of Osteoporosis in Women (GLOW). *Bone* 2011;49(3):493-8.
25. Sambrook PN, Flahive J, Hooven FH, Boonen S, Chapurlat R, Lindsay R, Nguyen TV, Díez-Pérez A, Pfeilschifter J, Greenspan SL, Hosmer D, Netelenbos JC, Adachi JD, Watts NB, Cooper C, Roux C, Rossini M, Siris ES, Silverman S, Saag KG, Compston JE, LaCroix A, Gehlbach S. Predicting fractures in an international cohort using risk factor algorithms without BMD. *J Bone Miner Res* 2011;26(11):2770-7.
26. Siris ES, Gehlbach S, Adachi JD, Boonen S, Chapurlat RD, Compston JE, Cooper C, Delmas P, Díez-Pérez A, Hooven FH, LaCroix AZ, Netelenbos JC, Pfeilschifter J, Rossini M, Roux C, Saag KG, Sambrook P, Silverman S, Watts NB, Wyman A, Greenspan SL. Failure to perceive increased risk of fracture in women 55 years and older: the Global Longitudinal Study of Osteoporosis in Women (GLOW). *Osteoporos Int* 2011;22(1):27-35.

2010

27. Adachi JD, Adami S, Gehlbach S, Anderson FA Jr, Boonen S, Chapurlat RD, Compston JE, Cooper C, Delmas P, Díez-Pérez A, Greenspan SL, Hooven FH, LaCroix AZ, Lindsay R, Netelenbos JC, Wu O, Pfeilschifter J, Roux C, Saag KG, Sambrook PN, Silverman S, Siris ES, Nika G, Watts NB; GLOW Investigators. Impact of prevalent fractures on quality of life: baseline results from the Global Longitudinal Study of Osteoporosis in Women. *Mayo Clin Proc* 2010;85(9):806-13.

2009

28. Hooven FH, Adachi JD, Adami S, Boonen S, Compston J, Cooper C, Delmas P, Díez-Pérez A, Gehlbach S, Greenspan SL, LaCroix A, Lindsay R, Netelenbos JC, Pfeilschifter J, Roux C, Saag KG, Sambrook P, Silverman S, Siris E, Watts NB, Anderson FA Jr. The Global Longitudinal Study of Osteoporosis in Women (GLOW): rationale and study design. *Osteoporos Int* 2009;20(7):1107-16.