

Bibliography

2015

1. Alnasser SM, Huang W, Gore JM, Steg PG, Eagle KA, Anderson FA, Jr., Fox KA, Gurfinkel E, Brieger D, Klein W, van de Werf F, Avezum A, Montalescot G, Gulba DC, Budaj A, Lopez-Sendon J, Granger CB, Kennelly BM, Goldberg RJ, Fleming E, Goodman SG, Investigators G. Late Consequences of Acute Coronary Syndromes: Global Registry of Acute Coronary Events (GRACE) Follow-up. *Am J Med* 2015;128:766-775.
2. Wang JY, Goodman SG, Saltzman I, Wong GC, Huynh T, Dery JP, Leiter LA, Bhatt DL, Welsh RC, Spencer FA, Fox KAA, Yan AT. L. A. Cardiovascular Risk Factors and In-Hospital Mortality in Acute Coronary Syndromes: Insights From the Canadian Global Registry of Acute Coronary Events. *Can J Cardiol*. 2015 (in press).
3. Zhang H, Goodman SG, Yan RT, Steg PG, Kornder JM, Gyenes GT, Grondin FR, Brieger D, DeYoung JP, Gallo R, Yan AT, for the Canadian GRACE and CANRACE Investigators. In-Hospital Management and Outcomes of Acute Coronary Syndromes in Relation to Prior History of Heart Failure. *Eur Heart J Acute CV Care* 2015 (in press).
10.1177/2048872615574109

2014

4. Fox KAA, FitzGerald G, Puymirat E, Huang W, Carruthers K, Simon T, Coste P, Monsegu J-J, Steg PG, Danchin N, Anderson FA. Should patients with acute coronary disease be stratified for management according to their risk? Derivation, external validation and outcomes using the updated GRACE risk score. *BMJ Open* 2014;4:e004425
doi:10.1136/bmjopen-2013-004425
5. McAllister DA, Halbesma N, Carruthers K, Denvir M, Fox KAA. GRACE score predicts heart failure admission following acute coronary syndrome. *Euro Heart J Acute CV Care*. DOI: 10.1177/2048872614542724
6. Park KL, Goldberg RJ, Anderson FA, López-Sendón J, Montalescot G, Brieger D, Eagle KA, Wyman A, Gore JM, for the GRACE Investigators. Beta-blocker use in ST-segment elevation myocardial infarction in the reperfusion era (GRACE). *Am J Med*. 2014;127(6):503-511. <http://dx.doi.org/10.1016/j.amjmed.2014.02.009>
7. Singh SM, FitzGerald G, Yan AT, Brieger D, Fox KAA, MB, López-Sendón J, Yan RT, Eagle KA, Steg PG, Budaj A, Goodman SG. High grade atrioventricular block in acute coronary syndromes – insights from the Global Registry of Acute Coronary Events. *Eur Heart J* (in press).
8. Zhang H, Goodman SG, Steg GP, Budaj A, Lopez-Sendon J, Dorian P, Huynh T, Mangat I, Wong GC, Spencer FA, Yan AT, on behalf of the Global Registry of Acute Coronary Events, ECG Substudy Investigators, the Canadian ACS Registry Investigators. Clinical characteristics and outcomes of acute coronary syndrome patients with left anterior hemiblock. *Heart*. 2014. doi:10.1136/heartjnl-2014-305708

2013

9. Alonso A, Gore JM, Awad HH, Quill AL, Montalescot G, Van de Werf F, Gulba DC, Fox KAA, Eagle KA, Granger CB, Wyman A, Steg PG, for the GRACE Investigators. Management and outcomes of patients presenting with ST-segment elevation myocardial infarction by use of chronic oral anticoagulation: results from the GRACE registry. *Eur Heart J Acute CV Care*; 2013. doi: 10.1177/2048872613483019
10. Awad HH, McManus DD, Anderson Jr FA, Gore JM, Goldberg RJ. Young patients hospitalized with an acute coronary syndrome. *Coron Artery Dis*. 2013 Jan;24(1):54-60. doi: 10.1097/MCA.0b013e32835b0bf7.
11. Bajaj RR, Goodman SG, Yan RT, Bagnall AJ, Gyenes G, Welsh RC, Eagle KA, Brieger D, Ramanathan K, Grondin FR, Yan AT, Canadian G, Investigators C. Treatment and outcomes of patients with suspected acute coronary syndromes in relation to initial diagnostic impressions (insights from the Canadian Global Registry of Acute Coronary Events [GRACE] and Canadian Registry of Acute Coronary Events [CANRACE]). *Am J Cardiol* 2013;111:202-7.
12. Johnston N, Bornefalk-Hermansson A, Schenck-Gustafsson K, Held C, Goodman SG, Yan AT, Bierman AS. Do clinical factors explain persistent sex disparities in the use of acute reperfusion therapy in STEMI in Sweden and Canada? *Eur Heart J: Acute CV Care* 2013; doi: 10.1177/2048872613496940

13. Kang JS, Goodman SG, Yan RT, Lopez-Sendon J, Pesant Y, Graham JJ, Fitchett D, Wong GC, Rose BF, Spencer FA, Yan AT, Canadian G, Investigators C. Management and Outcomes of Non-ST Elevation Acute Coronary Syndromes in Relation to Previous Use of Antianginal Therapies (from the Canadian Global Registry of Acute Coronary Events [GRACE] and Canadian Registry of Acute Coronary Events [CANRACE]). *Am J Cardiol* 2013;112:51-56.
14. Li Q, Goodman SG, Yan RT, Gore JM, Polasek P, Lai K, Baer C, Goldberg RJ, Pinter A, Ahmad K, Kornder JM, Yan AT, on behalf of the Global Registry of Acute Coronary Events and Canadian Registry of Acute Coronary Events Investigators. Pre-hospital Cardiac Arrest in Acute Coronary Syndromes: Insights from the Global Registry of Acute Coronary Events and the Canadian Registry of Acute Coronary Events. *Cardiology* 2013;126(1):27-34. doi: 10.1159/000353365.
15. Yan A, et al. Pre-hospital cardiac arrest in acute coronary syndromes: Insights from the Global Registry of Acute Coronary Events and the Canadian Registry of Acute Coronary Events. *Cardiology* 2013;126(1):27-34. doi: 10.1159/000353365. Epub 2013 Jul 11

2012

16. Al khdaïr D, Alshengeiti L, Elbarouni B, Yan RT, Grondin FR, Spencer FA, Pallie S, Brieger D, Eagle KA, Mangat I, Singh S, Goodman SG, Yan AT. Management and outcome of acute coronary syndrome patients in relation to prior history of atrial fibrillation. 2012;28(4):443-9. <http://www.ncbi.nlm.nih.gov/pubmed/22439969>
17. Awad HH, Anderson FA Jr, Gore JM, Goodman SG, Goldberg RJ. Cardiogenic shock complicating acute coronary syndromes: insights from the Global Registry of Acute Coronary Events. *Am Heart J*. 2012 Jun;163(6):963-71. doi: 10.1016/j.ahj.2012.03.003.
18. Elbarouni B, Behnam Banihashemi S, Yan RT, Welsh RC, Kornder JM, Wong GC, Anderson FA, Spencer FA, Grondin FR, Goodman SG, Yan AT; Canadian Global Registry of Acute Coronary Events (GRACE/GRACE2), and CANadian Registry of Acute Coronary Events (CANRACE) Investigators. Temporal patterns of lipid testing and statin therapy in acute coronary syndrome patients: the Canadian GRACE experience. *Am J Cardiol* 2012 2012;109(10):1418-24. <http://www.ncbi.nlm.nih.gov/pubmed/22381155>
19. Gurm HS, Gore JM, Anderson FA Jr, Wyman A, Fox KA, Steg PG, Eagle KA; Global Registry of Acute Coronary Events (GRACE) Investigators. Comparison of Acute coronary syndrome in patients receiving versus not receiving chronic dialysis (from the Global Registry of Acute Coronary Events [GRACE] Registry). *Am J Cardiol* 2012;109(1):19-25. <http://www.ncbi.nlm.nih.gov/pubmed/21974963>
20. McManus DD, Aslam F, Goyal P, Goldberg RJ, Huang W, Gore JM. Incidence, prognosis, and factors associated with cardiac arrest in patients hospitalized with acute coronary syndromes (the Global Registry of Acute Coronary Events Registry). *Coron Artery Dis* 2012;23:105-12.
21. McManus DD, Huang W, Domakonda KV, Ward J, Saczynski JS, Gore JM, Goldberg RJ. Trends in Atrial Fibrillation in Patients Hospitalized With an Acute Coronary Syndrome. *Trends in Atrial Fibrillation in Patients Hospitalized With an Acute Coronary Syndrome*. *Am J Med* 2012; 125(11):1076-84.
22. Park KL, Budaj A, Goldberg RJ, Anderson FA, Agnelli G, Kennelly BM, Gurfinkel EP, FitzGerald G, Gore JM, on behalf of the GRACE Investigators. Risk-prediction model for ischemic stroke in patients hospitalized with an acute coronary syndrome (from the Global Registry of Acute Coronary Events [GRACE]). *Am J Cardiol* 2012;110(5):628-635.
23. Poon S, Goodman SG, Yan RT, Bugiardini R, Bierman AS, Eagle KA, Johnston N, Huynh T, Grondin FR, Schenck-Gustafsson K, Yan AT; Canadian Acute Coronary Syndrome Registries I and II, and the Canadian Global Registry of Acute Coronary Events (GRACE/GRACE²) Investigators. Bridging the gender gap: insights from a contemporary analysis of sex-related differences in the treatment and outcomes of patients with acute coronary syndromes. *Am Heart J* 2012;163(1):66-73. <http://www.ncbi.nlm.nih.gov/pubmed/22172438>
24. Ravichandran L, Goodman SG, Yan AT, Mendelsohn A, Ray JG. Non-alcoholic fatty liver disease and outcomes in persons with acute coronary syndromes: insights from the GRACE-ALT analysis. *Heart Asia* 2012;4:137-140. doi:10.1136/heartasia-2012-010167
25. Sangu, Prashanthi V, Ranasinghe, Isuru, Costa, Bernadette Aliprandi, Devlin, Gerard, Elliot, John, Lefkowitz, Jeffery, Brieger, David. Trends and predictors of rehospitalisation following an acute coronary syndrome: report from the Australian and New Zealand population of the Global Registry of Acute Coronary Events (GRACE). *Heart* 2012; 98: 1728-1731.
26. Wauters E, Carruthers KF, Buyschaert I, Dunbar DR, Peuteman G, Belmans A, Budaj A, Van de Werf F, Lambrechts D, Fox KAA. Influence of 23 coronary artery disease variants on recurrent myocardial infarction or cardiac death: the GRACE Genetics Study. *Eur Heart J* 2012 Nov 15. [Epub ahead of print]

2011

27. Aliprandi-Costa B, Ranasinghe I, Chow V, Kapila S, Juergens C, Devlin G, Elliott J, Lefkowitz J, Brieger DB. Management and outcomes of patients with acute coronary syndromes in Australia and New Zealand, 2000–2007. *Med J Aust* 2011;195(3):116-21. <http://www.ncbi.nlm.nih.gov/pubmed/21806528>
28. Amad H, Yan AT, Yan RT, Huynh T, Gore JM, Montalescot G, Deyoung JP, Gallo R, Rose B, Steg PG, Goodman SG; for the Canadian Global Registry of Acute Coronary Events (GRACE) Investigators. The association between prior use of aspirin and/or warfarin and the in-hospital management and outcomes in patients presenting with acute coronary syndromes: insights from the Global Registry of Acute Coronary Events (GRACE). *Can J Cardiol* 2011 Nov 21 [Epub ahead of print]. <http://www.ncbi.nlm.nih.gov/pubmed/22112683>
29. Awad HH, Zubaid M, Alsheikh-Ali AA, Al Suwaidi J, Anderson FA Jr, Gore JM, Goldberg RJ. Comparison of characteristics, management practices, and outcomes of patients between the Global Registry and the Gulf Registry of acute coronary events. *Am J Cardiol* 2011;108(9):1252-8. <http://www.ncbi.nlm.nih.gov/pubmed/21880292>
30. Czarnecki A, Welsh RC, Yan RT, DeYoung JP, Gallo R, Rose B, Grondin FR, Kornder JM, Wong GC, Fox KA, Gore JM, Goodman SG, Yan AT, Global Registry of Acute Coronary E, Canadian Registry of Coronary Events I. Reperfusion strategies and outcomes of ST-segment elevation myocardial infarction patients in Canada: observations from the Global Registry of Acute Coronary Events (GRACE) and the Canadian Registry of Acute Coronary Events (CANRACE). *Can J Cardiol* 2012;28:40-7. <http://www.ncbi.nlm.nih.gov/pubmed/22129488>
31. Jolly SS, Shenkman H, Brieger D, Fox KA, Yan AT, Eagle KA, Steg PG, Lim KD, Quill A, Goodman SG; GRACE Investigators. Quantitative troponin and death, cardiogenic shock, cardiac arrest and new heart failure in patients with non-ST-segment elevation acute coronary syndromes (NSTEMI/ACS): insights from the Global Registry of Acute Coronary Events. *Heart* 2011;97(3):197-202. <http://www.ncbi.nlm.nih.gov/pubmed/21076124>
32. Krimly A, Yan RT, Yan AT, DeYoung JP, Gallo R, Steg G, Eikelboom J, Gore JM, Fox KA, Fitchett D, Quantz MA, Goodman SG. Use of clopidogrel post-coronary artery bypass surgery in Canadian patients with acute coronary syndromes. *Can J Cardiol* 2011;27(6):711-5. <http://www.ncbi.nlm.nih.gov/pubmed/21875778>
33. Ranasinghe I, Alprandi-Costa B, Chow V, Elliott JM, Waites J, Counsell JT, Lopéz-Sendón J, Avezum A, Goodman SG, Granger CB, Brieger D. Risk stratification in the setting of non-ST elevation acute coronary syndromes 1999–2007. *Am J Cardiol* 2011;108(5):617-24. <http://www.ncbi.nlm.nih.gov/pubmed/21714948>
34. Singh SM, Goodman SG, Yan RT, Dery JP, Wong GC, Gallo R, Grondin FR, Lai K, Lopez-Sendon J, Fox KA, Yan AT; Canadian GRACE, GRACE(2) and CANRACE Investigators. Relation between previous angiotensin-converting enzyme inhibitor use and in-hospital outcomes in acute coronary syndromes. *Am J Cardiol* 2011 Nov 11 [Epub ahead of print]. <http://www.ncbi.nlm.nih.gov/pubmed/22078966>

2010

35. Ambrosio G, Del Pinto M, Tritto I, Agnelli G, Bentivoglio M, Zuchi C, Anderson FA, Gore JM, López-Sendón J, Wyman A, Kennelly BM, Fox KA; GRACE investigators. Chronic nitrate therapy is associated with different presentation and evolution of acute coronary syndromes: insights from 52,693 patients in the Global Registry of Acute Coronary Events (GRACE). *Eur Heart J* 2010;31(4):430-8. <http://www.ncbi.nlm.nih.gov/pubmed/19903682>; <http://eurheartj.oxfordjournals.org/content/31/4/430.long>
36. Barringhaus KG, Park KL, McManus DD, Steg PG, Montalescot G, Van de Werf F, López-Sendón J, FitzGerald G, Gore JM; GRACE Investigators. Outcomes from patients with multi-vessel disease following primary PCI: Staged PCI imparts very low mortality. *Catheter Cardiovasc Interv* 2010;77(5):617-22. <http://www.ncbi.nlm.nih.gov/pubmed/20853369>
37. Buyschaert I, Carruthers KF, Dunbar DR, Peuteman G, Rietzschel E, Belmans A, Hedley A, De Meyer T, Budaj A, Van de Werf F, Lambrechts D, Fox KA. A variant at chromosome 9p21 is associated with recurrent myocardial infarction and cardiac death after acute coronary syndrome: The GRACE Genetics Study. *Eur Heart J* 2010;31(9):1132-41. <http://www.ncbi.nlm.nih.gov/pubmed/20231156>; <http://eurheartj.oxfordjournals.org/content/31/9/1132.long>
38. Chew DP, Anderson FA, Avezum A, Eagle KA, FitzGerald G, Gore JM, Dedrick R, Brieger D; GRACE Investigators. Six-month survival benefits associated with clinical guideline recommendations in acute coronary syndromes. *Heart* 2010;96(15): 1201-6. <http://www.ncbi.nlm.nih.gov/pubmed/20530127>; <http://heart.bmj.com/content/96/15/1201.long>
39. Edwards J, Goodman SG, Yan RT, Welsh RC, Kornder JM, Deyoung JP, Chauret D, Picard JP, Eagle KA, Yan AT. Has the CLOpidogrel and Metoprolol in Myocardial Infarction Trial (COMMIT) of early β -blocker use in acute coronary syndromes impacted on clinical practice in Canada? Insights from the Global Registry of Acute Coronary Events (GRACE). *Am Heart J* 2010;161(2):291-7. <http://www.ncbi.nlm.nih.gov/pubmed/21315211>
40. Elbarasi E, Goodman SG, Yan RT, Welsh RC, Kornder J, Wong GC, Déry JP, Anderson F, Gore JM, Fox KA, Yan AT; Canadian Acute Coronary Syndrome Registries I and II (ACS I and ACS II); Canadian Global Registry of Acute Coronary

- Events (GRACE/expanded-GRACE) Investigators. Management patterns of non-ST segment elevation acute coronary syndromes in relation to prior coronary revascularization. *Am Heart J* 2010;159(1):40-6. <http://www.ncbi.nlm.nih.gov/pubmed/20102865>
41. Elbarouni B, Elmanfud O, Yan RT, Fox KA, Kornder JM, Rose B, Spencer FA, Welsh RC, Wong GC, Goodman SG, Yan AT. Temporal trend of in-hospital major bleeding among patients with non ST-elevation acute coronary syndromes. *Am Heart J* 2010;160(3):420-7. <http://www.ncbi.nlm.nih.gov/pubmed/20826248>
 42. Fox KA, Carruthers KF, Dunbar DR, Graham C, Manning JR, De Raedt H, Buyschaert I, Lambrechts D, Van de Werf F. Underestimated and under-recognized: the late consequences of acute coronary syndrome (GRACE UK–Belgian Study). *Eur Heart J* 2010;31(22):2755-64. <http://www.ncbi.nlm.nih.gov/pubmed/20805110>; <http://eurheartj.oxfordjournals.org/content/31/22/2755.long>
 43. Fox KA, Carruthers K, Steg PG, Avezum A, Granger CB, Montalescot G, Goodman SG, Gore JM, Quill AL, Eagle KA; GRACE Investigators. Has the frequency of bleeding changed over time for patients presenting with an acute coronary syndrome? The Global Registry of Acute Coronary Events. *Eur Heart J* 2010; 31(6):667-75. <http://www.ncbi.nlm.nih.gov/pubmed/20007159>; <http://eurheartj.oxfordjournals.org/content/31/6/667.long>
 44. Fox KA, Eagle KA, Gore JM, Steg PG, Anderson FA; GRACE and GRACE2 Investigators. The Global Registry of Acute Coronary Events, 1999 to 2009 – GRACE. *Heart* 2010;96(14):1095-101. <http://www.ncbi.nlm.nih.gov/pubmed/20511625>
 45. Hutchinson-Jaffe AB, Goodman SG, Yan RT, Wald R, Elbarouni B, Rose B, Eagle KA, Lai CC, Baer C, Langer A, Yan AT; Canadian Acute Coronary Syndromes (ACS) Registry I and II Investigators and Canadian Global Registry of Acute Coronary Events (GRACE/GRACE 2) Investigators. Comparison of baseline characteristics, management and outcome of patients with non-ST-segment elevation acute coronary syndrome in versus not in clinical trials. *Am J Cardiol* 2010;106(10):1389-96. <http://www.ncbi.nlm.nih.gov/pubmed/21059426>
 46. Jedrzkiewicz S, Goodman SG, Yan RT, Grondin FR, Gallo R, Welsh RC, Lai K, Huynh T, Yan AT; Canadian Acute Coronary Syndrome I and II Registries, Canadian Global Registry of Acute Coronary Events (GRACE/GRACE²), and Canadian Registry of Acute Coronary Events (CANRACE) Investigators. Evaluation of left ventricular ejection fraction in non-ST-segment elevation acute coronary syndromes and its relationship to treatment. *Am Heart J* 2010;159(4):605-11. <http://www.ncbi.nlm.nih.gov/pubmed/20362719>
 47. Lee TC, Goodman SG, Yan RT, Grondin FR, Welsh RC, Rose B, Gyenes G, Zimmerman RH, Brossoit R, Saposnik G, Graham JJ, Yan AT; Canadian Acute Coronary Syndromes I and II, Canadian Global Registry of Acute Coronary Events (GRACE/GRACE²) and the Canadian Registry of Acute Coronary Events (CANRACE) Investigators. Disparities in management patterns and outcomes of patients with non-ST-elevation acute coronary syndrome with and without a history of cerebrovascular disease. *Am J Cardiol* 2010;105(8):1083-9. <http://www.ncbi.nlm.nih.gov/pubmed/20381657>
 48. López-Sendón J, Gurfinkel EP, Lopez de Sa E, Agnelli G, Gore JM, Steg PG, Eagle KA, Cantador JR, Fitzgerald G, Granger CB; Global Registry of Acute Coronary Events (GRACE) Investigators. Factors related to heart rupture in acute coronary syndromes in the Global Registry of Acute Coronary Events. *Eur Heart J* 2010;31(12): 1449-56. <http://www.ncbi.nlm.nih.gov/pubmed/20231153>; <http://eurheartj.oxfordjournals.org/content/31/12/1449.long>
 49. Nguyen HL, Goldberg RJ, Gore JM, Fox KA, Eagle KA, Gurfinkel EP, Spencer FA, Reed G, Quill A, Anderson FA Jr. Age and sex differences, and changing trends, in the use of evidence-based therapies in acute coronary syndromes: perspectives from a multinational registry. *Coron Artery Dis* 2010;21(6):336-44. <http://www.ncbi.nlm.nih.gov/pubmed/20661139>
 50. Saab FA, Steg PG, Avezum A, López-Sendón J, Anderson FA, Huang W, Eagle KA. Can an elderly woman's heart be too strong? Increased mortality with high versus normal ejection fraction after an acute coronary syndrome. The Global Registry of Acute Coronary Events. *Am Heart J* 2010;160(5):849-54. <http://www.ncbi.nlm.nih.gov/pubmed/21095271>
 51. Sibbald M, Yan AT, Huang W, Fox KA, Gore JM, Steg PG, Eagle KA, Brieger D, Montalescot G, Goodman SG. Association between smoking, outcomes, and early clopidogrel use in patients with acute coronary syndrome: insights from the Global Registry of Acute Coronary Events. *Am Heart J* 2010;160(5):855-61. <http://www.ncbi.nlm.nih.gov/pubmed/21095272>
 52. Spencer FA, Montalescot G, Fox KA, Goodman SG, Granger CB, Goldberg RJ, Oliveira GB, Anderson FA, Eagle KA, Fitzgerald G, Gore JM; Global Registry of Acute Coronary Events (GRACE) Investigators. Delay to reperfusion in patients with acute myocardial infarction presenting to acute care hospitals: an international perspective. *Eur Heart J* 2010;31(11): 1328-36. <http://www.ncbi.nlm.nih.gov/pubmed/20231154>; <http://eurheartj.oxfordjournals.org/content/31/11/1328.long>
 53. Yan AT, Steg PG, Fitzgerald G, Feldman LJ, Eagle KA, Gore JM, Anderson FA, López-Sendón J, Gurfinkel EP, Brieger D, Goodman SG; Global Registry of Acute Coronary Events Investigators. Recurrent ischemia across the spectrum of acute coronary syndromes: prevalence and prognostic significance of (re-)infarction and ST-segment changes in a large contemporary registry. *Int J Cardiol* 2010;145(1):15-20. <http://www.ncbi.nlm.nih.gov/pubmed/19481280>

54. Avezum A, Piegas LS, Goldberg RJ, Brieger D, Stiles MK, Paolini R, Huang W, Gore JM; GRACE Investigators. Magnitude and prognosis associated with ventricular arrhythmias in patients hospitalized with acute coronary syndromes (from the GRACE Registry). *Am J Cardiol* 2009; 102(12):1577-82. <http://www.ncbi.nlm.nih.gov/pubmed/19064008>
55. Bagnall AJ, Goodman SG, Fox KA, Yan RT, Gore JM, Cheema AN, Huynh T, Chauret D, Fitchett DH, Langer A, Yan AT; Canadian Acute Coronary Syndrome Registry I and II Investigators; Canadian Global Registry of Acute Coronary Events (GRACE/GRACE²) Investigators. Influence of age on use of cardiac catheterization and associated outcomes in patients with non-ST-elevation acute coronary syndromes. *Am J Cardiol* 2009;103(11):1530-6. <http://www.ncbi.nlm.nih.gov/pubmed/19463511>
56. Banihashemi B, Goodman SG, Yan RT, Welsh RC, Mehta SR, Montalescot G, Kornder JM, Wong GC, Gyenes G, Steg PG, Yan AT; Global Registry of Acute Coronary Events (GRACE/GRACE²) Investigators. Underutilization of clopidogrel and glycoprotein IIb/IIIa inhibitors in non-ST-elevation acute coronary syndrome patients: the Canadian Global Registry of Acute Coronary Events (GRACE) experience. *Am Heart J* 2009;158(6):917-24. <http://www.ncbi.nlm.nih.gov/pubmed/19958857>
57. Brieger D, Fox KA, Fitzgerald G, Eagle KA, Budaj A, Avezum A, Granger CB, Costa B, Anderson FA Jr, Steg PG; GRACE Investigators. Predicting freedom from clinical events in non-ST-elevation acute coronary syndromes: the Global Registry of Acute Coronary Events. *Heart* 2009;95(11):888-94. <http://www.ncbi.nlm.nih.gov/pubmed/19246481>
58. Dey S, Flather MD, Devlin G, Brieger D, Gurfinkel EP, Steg PG, FitzGerald G, Jackson EA, Eagle KA; Global Registry of Acute Coronary Events Investigators. Sex-related differences in the presentation, treatment and outcomes among patients with acute coronary syndromes: the Global Registry of Acute Coronary Events. *Heart* 2009;95(1):20-6. <http://www.ncbi.nlm.nih.gov/pubmed/18463200>
59. Elbarouni B, Goodman SG, Yan RT, Welsh RC, Kornder JM, DeYoung JP, Wong GC, Rose B, Grondin FR, Gallo R, Tan M, Casanova A, Eagle KA, Yan AT; Canadian Global Registry of Acute Coronary Events (GRACE/GRACE²) Investigators. Validation of the Global Registry of Acute Coronary Event (GRACE) risk score for in-hospital mortality in patients with acute coronary syndrome in Canada. *Am Heart J* 2009;158(3):392-9. <http://www.ncbi.nlm.nih.gov/pubmed/19699862>
60. Goldberg RJ, Spencer FA, Fox KA, Brieger D, Steg PG, Gurfinkel E, Dedrick R, Gore JM. Pre-hospital delay in patients with acute coronary syndromes (from the Global Registry of Acute Coronary Events [GRACE]). *Am J Cardiol* 2009;103(5):598-603. <http://www.ncbi.nlm.nih.gov/pubmed/19231319>
61. Goodman SG, Huang W, Yan AT, Budaj A, Kennelly BM, Gore JM, Fox KA, Goldberg RJ, Anderson FA Jr; Expanded Global Registry of Acute Coronary Events (GRACE²) Investigators. The expanded Global Registry of Acute Coronary Events: baseline characteristics, management practices, and hospital outcomes of patients with acute coronary syndromes. *Am Heart J* 2009;158(2):193-201. <http://www.ncbi.nlm.nih.gov/pubmed/19619694>
62. Gore JM, Spencer FA, Gurfinkel EP, López-Sendón J, Steg PG, Granger CB, FitzGerald G, Agnelli G; GRACE Investigators. Thrombocytopenia in patients with an acute coronary syndrome (from the Global Registry of Acute Coronary Events [GRACE]). *Am J Cardiol* 2009;103(2):175-80. <http://www.ncbi.nlm.nih.gov/pubmed/19121432>
63. Jedrzkiewicz S, Goodman SG, Yan RT, Welsh RC, Kornder J, DeYoung JP, Wong GC, Rose B, Grondin FR, Gallo R, Huang W, Gore JM, Yan AT; Canadian Global Registry of Acute Coronary Events (GRACE/GRACE²). Temporal trends in the use of invasive cardiac procedures for non-ST-segment elevation acute coronary syndromes according to initial risk stratification. *Can J Cardiol* 2009; 25(11):e370-6. <http://www.ncbi.nlm.nih.gov/pubmed/19898699>
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2776566/?tool=pubmed>
64. LaBounty T, Gurm HS, Goodman SG, Montalescot G, Lopez-Sendon J, Quill A, Eagle KA; GRACE Investigators. Predictors and implications of Q-waves in ST-elevation acute coronary syndromes. *Am J Med* 2009;122(2):144-51. <http://www.ncbi.nlm.nih.gov/pubmed/19185091>
65. López-Sendón J, Dabbous OH, López de Sá E, Stiles M, Gore JM, Brieger D, Van de Werf F, Budaj A, Gurfinkel EP, Fox KA; GRACE investigators. In-hospital outcomes associated with fibrinolytic and thienopyridine use in patients with ST-segment elevation acute myocardial infarction. The Global Registry of Acute Coronary Events. *Rev Esp Cardiol* 2009;62(5):501-9. <http://www.ncbi.nlm.nih.gov/pubmed/19406064>;
http://www.revespcardiol.org/cardio_eng/ctl_servlet?_f=60&ident=13138428
66. Medi C, Montalescot G, Budaj A, Fox KA, López-Sendón J, Fitzgerald G, Brieger DB; GRACE Investigators. Reperfusion in patients with renal dysfunction after presentation with ST-segment elevation or left bundle branch block: GRACE (Global Registry of Acute Coronary Events). *JACC Cardiovasc Interv* 2009;2(1):26-33. <http://www.ncbi.nlm.nih.gov/pubmed/19463394>
67. Montalescot G, Brieger D, Eagle KA, Anderson FA Jr, FitzGerald G, Lee MS, Steg PG, Avezum A, Goodman SG, Gore JM; GRACE Investigators. Unprotected left main revascularization in patients with acute coronary syndromes. *Eur Heart J*

- 2009;30(19):2308-17. <http://www.ncbi.nlm.nih.gov/pubmed/19720640>;
<http://eurheartj.oxfordjournals.org/content/30/19/2308.long>
68. Pieper KS, Gore JM, FitzGerald G, Granger CB, Goldberg RJ, Steg G, Eagle KA, Anderson FA, Budaj A, Fox KA; Global Registry of Acute Coronary Events (GRACE) Investigators. Validity of a risk-prediction tool for hospital mortality: the Global Registry of Acute Coronary Events. *Am Heart J* 2009;157(6):1097-105. <http://www.ncbi.nlm.nih.gov/pubmed/19464422>
69. Rao RV, Goodman SG, Yan RT, Spencer FA, Fox KA, DeYoung JP, Rose B, Grondin FR, Gallo R, Gore JM, Yan AT; Canadian Global Registry of Acute Coronary Events (GRACE/GRACE²) Investigators. Temporal trends and patterns of early clopidogrel use across the spectrum of acute coronary syndromes. *Am Heart J* 2009;157(4): 642-50.e1. <http://www.ncbi.nlm.nih.gov/pubmed/19332190>
70. Ruisi CP, Goldberg RJ, Kennelly BM, Goodman SG, Lopez-Sendon J, Granger CB, Avezum A, Eagle KA, FitzGerald G, Gore JM; GRACE investigators. Pulmonary artery catheterization in patients with acute coronary syndromes. *Am Heart J* 2009;158(2):170-6. <http://www.ncbi.nlm.nih.gov/pubmed/19619691>
71. Sinnaeve PR, Steg PG, Fox KA, Van de Werf F, Montalescot G, Granger CB, Knobel E, Anderson FA, Dabbous OH, Avezum A; GRACE Investigators. Elevated fasting glucose is associated with increased short-term and 6-month mortality in ST-segment elevation and non-ST-segment elevation acute coronary syndromes: the Global Registry of Acute Coronary Events. *Arch Intern Med* 2009;169(4):402-9. <http://www.ncbi.nlm.nih.gov/pubmed/19237725>; <http://archinte.ama-assn.org/cgi/content/full/169/4/402>
72. Steg PG, FitzGerald G, Fox KA. Risk stratification in non-ST-segment elevation acute coronary syndromes: troponin alone is not enough. *Am J Med* 2009;122(2):107-8. <http://www.ncbi.nlm.nih.gov/pubmed/19185082>
73. Steg PG, Fox KA, Eagle KA, Furman M, Van de Werf F, Montalescot G, Goodman SG, Avezum A, Huang W, Gore JM; Global Registry of Acute Coronary Events (GRACE) Investigators. Mortality following placement of drug-eluting and bare-metal stents for ST-segment elevation acute myocardial infarction in the Global Registry of Acute Coronary Events. *Eur Heart J* 2009;30(3):321-9. <http://www.ncbi.nlm.nih.gov/pubmed/19147604>;
<http://eurheartj.oxfordjournals.org/content/30/3/321.long>
74. Swanson N, Montalescot G, Eagle KA, Goodman SG, Huang W, Brieger D, Devlin G; GRACE Investigators. Delay to angiography and outcomes following presentation with high-risk, non-ST-elevation acute coronary syndromes: results from the Global Registry of Acute Coronary Events. *Heart* 2009;95(3):211-5. <http://www.ncbi.nlm.nih.gov/pubmed/18801782>
75. Vedre A, Gurm HS, Froehlich JB, Kline-Rogers E, Montalescot G, Gore JM, Brieger D, Quill AL, Eagle KA; GRACE Investigators. Impact of prior statin therapy on arrhythmic events in patients with acute coronary syndromes (from the Global Registry of Acute Coronary Events [GRACE]). *Am J Cardiol* 2009;104(12):1613-7. <http://www.ncbi.nlm.nih.gov/pubmed/19962463>
76. Wong JA, Goodman SG, Yan RT, Wald R, Bagnall AJ, Welsh RC, Wong GC, Kornder J, Eagle KA, Steg PG, Yan AT; Canadian Acute Coronary Syndromes I and II, and Canadian Global Registry of Acute Coronary Events (GRACE/GRACE) Investigators. Temporal management patterns and outcomes of non-ST elevation acute coronary syndromes in patients with kidney dysfunction. *Eur Heart J* 2009;30(5):549-57. <http://www.ncbi.nlm.nih.gov/pubmed/19201761>;
<http://eurheartj.oxfordjournals.org/content/30/5/549.long>

2008

77. Dabbous OH, Anderson FA Jr, Gore JM, Eagle KA, Fox KA, Mehta RH, Goldberg RJ, Agnelli G, Steg PG; GRACE Investigators. Outcomes with the use of glycoprotein IIb/IIIa inhibitors in non-ST-segment elevation acute coronary syndromes. *Heart* 2008;94(2):159-65. <http://www.ncbi.nlm.nih.gov/pubmed/17575335>
78. Devlin G, Gore JM, Elliott J, Wijesinghe N, Eagle KA, Avezum A, Huang W, Brieger D; GRACE Investigators. Management and 6-month outcomes in elderly and very elderly patients with high-risk non-ST-elevation acute coronary syndromes: The Global Registry of Acute Coronary Events. *Eur Heart J* 2008;29(10):1275-82. <http://www.ncbi.nlm.nih.gov/pubmed/18387940>; <http://eurheartj.oxfordjournals.org/content/29/10/1275.long>
79. Eagle KA, Nallamothu BK, Mehta RH, Granger CB, Steg PG, Van de Werf F, López-Sendón J, Goodman SG, Quill A, Fox KA; Global Registry of Acute Coronary Events (GRACE) Investigators. Trends in acute reperfusion therapy for ST-segment elevation myocardial infarction from 1999 to 2006: we are getting better but we have got a long way to go. *Eur Heart J* 2008;29(5):609-17. <http://www.ncbi.nlm.nih.gov/pubmed/18310671>;
<http://eurheartj.oxfordjournals.org/content/29/5/609.long>
80. Fox KA, Anderson FA Jr, Goodman SG, Steg PG, Pieper K, Quill A, Gore JM; GRACE Investigators. Time course of events in acute coronary syndromes: implications for clinical practice from the GRACE registry. *Nat Clin Pract Cardiovasc Med* 2008;5(9):580-9. <http://www.ncbi.nlm.nih.gov/pubmed/18665136>;
<http://www.nature.com/nrcardio/journal/v5/n9/full/ncpcardio1302.html>

81. Steg PG, Kerner A, Van de Werf F, López-Sendón J, Gore JM, Fitzgerald G, Feldman LJ, Anderson FA, Avezum A; Global Registry of Acute Coronary Events (GRACE) Investigators. Impact of in-hospital revascularization on survival in patients with non-ST-elevation acute coronary syndrome and congestive heart failure. *Circulation* 2008;118(11):1163-71. <http://www.ncbi.nlm.nih.gov/pubmed/18725494>; <http://circ.ahajournals.org/cgi/content/full/118/11/1163>
82. Stiles MK, Dabbous OH, Fox KA; GRACE Investigators. Bleeding events with antithrombotic therapy in patients with unstable angina or non-ST-segment elevation myocardial infarction; insights from a large clinical practice registry (GRACE). *Heart Lung Circ* 2008;17(1):5-8. <http://www.ncbi.nlm.nih.gov/pubmed/17419100>
83. Yan RT, Yan AT, Granger CB, Lopez-Sendon J, Brieger D, Kennelly B, Budaj A, Steg PG, Georgescu AA, Hassan Q, Goodman SG; Global Registry of Acute Coronary Events (GRACE) Electrocardiogram Substudy Group. Usefulness of quantitative versus qualitative ST-segment depression for risk stratification of non-ST elevation acute coronary syndromes in contemporary clinical practice. *Am J Cardiol* 2008;101(7):919-24. <http://www.ncbi.nlm.nih.gov/pubmed/18359308>

2007

84. Brieger D, Elsik M, Gore JM, Knobel E, Nussbacher A, Piegas LS, Allegrone J, Anderson FA, Avezum A. Predicting coronary artery bypass graft surgery in acute coronary syndromes. *EuroIntervention* 2007;2(4):452-8. <http://www.ncbi.nlm.nih.gov/pubmed/19755284>
85. Brieger D, Van de Werf F, Avezum A, Montalescot G, Kennelly BM, Granger CB, Goodman SG, Dabbous OH, Agnelli G; GRACE Investigators. Interactions between heparins, glycoprotein IIb/IIIa antagonists, and coronary intervention. The Global Registry of Acute Coronary Events. *Am Heart J* 2007;153(6):960-9. <http://www.ncbi.nlm.nih.gov/pubmed/17540196>
86. Fox KA, Anderson FA Jr, Dabbous OH, Steg PG, López-Sendón J, Van de Werf F, Budaj A, Gurfinkel EP, Goodman SG, Brieger D; GRACE Investigators. Intervention in acute coronary syndromes: do patients undergo intervention on the basis of their risk characteristics? The Global Registry of Acute Coronary Events (GRACE). *Heart* 2007;93(2):177-82. <http://www.ncbi.nlm.nih.gov/pubmed/16757543>; <http://heart.bmj.com/content/93/2/177.long>
87. Fox KA, Steg PG, Eagle KA, Goodman SG, Anderson FA Jr, Granger CB, Flather MD, Budaj A, Quill A, Gore JM; GRACE Investigators. Decline in rates of death and heart failure in acute coronary syndromes, 1999–2006. *JAMA* 2007;297(17):1892-900. <http://www.ncbi.nlm.nih.gov/pubmed/17473299>; <http://jama.ama-assn.org/cgi/content/full/297/17/1892>
88. Gore JM, Spencer FA, Goldberg RJ, Kennelly BM, Fox KA, Allegrone J, Eagle KA, Anderson FA Jr, Steg PG; GRACE Investigators. Use of heparins in non-ST-elevation acute coronary syndromes. *Am J Med* 2007;120(1):63-71. <http://www.ncbi.nlm.nih.gov/pubmed/17208081>
89. Goldberg RJ, Spencer FA, Steg PG, Flather M, Montalescot G, Gurfinkel EP, Kennelly BM, Goodman SG, Dedrick R, Gore JM; Global Registry of Acute Coronary Events Investigators. Increasing use of single and combination medical therapy in patients hospitalized for acute myocardial infarction in the 21st century: a multinational perspective. *Arch Intern Med* 2007;167(16):1766-73. <http://www.ncbi.nlm.nih.gov/pubmed/17846396>; <http://archinte.ama-assn.org/cgi/content/full/167/16/1766>
90. Gurfinkel EP, Perez de la Hoz R, Brito VM, Duronto E, Dabbous OH, Gore JM, Anderson FA Jr; GRACE Investigators. Invasive vs non-invasive treatment in acute coronary syndromes and prior bypass surgery. *Int J Cardiol* 2007; 119(1):65-72. <http://www.ncbi.nlm.nih.gov/pubmed/17045681>
91. Mukherjee D, Eagle KA, Kline-Rogers E, Feldman LJ, Juliard JM, Agnelli G, Budaj A, Avezum A, Allegrone J, Fitzgerald G, Steg PG; GRACE Investigators. Impact of prior peripheral arterial disease and stroke on outcomes of acute coronary syndromes and effect of evidence-based therapies (from the Global Registry of Acute Coronary Events). *Am J Cardiol* 2007;100(1):1-6. <http://www.ncbi.nlm.nih.gov/pubmed/17599431>
92. Nallamothu BK, Fox KA, Kennelly BM, Van de Werf F, Gore JM, Steg PG, Granger CB, Dabbous OH, Kline-Rogers E, Eagle KA; GRACE Investigators. Relationship of treatment delays and mortality in patients undergoing fibrinolysis and primary percutaneous coronary intervention. The Global Registry of Acute Coronary Events. *Heart* 2007;93(12):1552-5. <http://www.ncbi.nlm.nih.gov/pubmed/17591643>; <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2095752/?tool=pubmed>
93. Nguyen MC, Lim YL, Walton A, Lefkovits J, Agnelli G, Goodman SG, Budaj A, Gulba DC, Allegrone J, Brieger D; GRACE Investigators. Combining warfarin and antiplatelet therapy after coronary stenting in the Global Registry of Acute Coronary Events: is it safe and effective to use just one antiplatelet agent? *Eur Heart J* 2007;28(14):1717-22. <http://www.ncbi.nlm.nih.gov/pubmed/17562671>; <http://eurheartj.oxfordjournals.org/content/28/14/1717.long>
94. Oliveira GB, Avezum A, Anderson FA Jr, Budaj A, Dabbous OH, Goodman SG, Steg PG, Goldberg RJ, Brieger D, Fox KA, Gore JM, Granger CB; GRACE Investigators. Use of proven therapies in non-ST-elevation acute coronary syndromes

according to evidence-based risk stratification. *Am Heart J* 2007;153(4):493-9.
<http://www.ncbi.nlm.nih.gov/pubmed/17383284>

95. Ramsay G, Podogrodzka M, McClure C, Fox KA. Risk prediction in patients presenting with suspected cardiac pain: the GRACE and TIMI risk scores versus clinical evaluation. *QJM* 2007;100(1):11-8.
<http://www.ncbi.nlm.nih.gov/pubmed/17175559>; <http://qjmed.oxfordjournals.org/content/100/1/11.long>
96. Spencer FA, Goldberg RJ, Gore JM, Fox KA, Avezum Á, Agnelli G, Kritharides L, Anderson FA, Goodman SG, FitzGerald G, Allegrone J, Brieger D; GRACE Investigators. Comparison of utilization of statin therapy at hospital discharge and six-month outcomes in patients with an acute coronary syndrome and serum low-density lipoprotein ≥ 100 mg/dl versus < 100 mg/dl. *Am J Cardiol* 2007;100(6):913-8. <http://www.ncbi.nlm.nih.gov/pubmed/17826369>
97. Spencer FA, Moscucci M, Granger CB, Gore JM, Goldberg RJ, Steg PG, Goodman SG, Budaj A, FitzGerald G, Fox KA; GRACE Investigators. Does comorbidity account for the excess mortality in patients with major bleeding in acute myocardial infarction? *Circulation* 2007;116(24):2793-801. <http://www.ncbi.nlm.nih.gov/pubmed/18025530>;
<http://circ.ahajournals.org/cgi/content/full/116/24/2793>
98. Steg PG, López-Sendón J, Lopez de Sa E, Goodman SG, Gore JM, Anderson FA Jr, Himbert D, Allegrone J, Van de Werf F; GRACE Investigators. External validity of clinical trials in acute myocardial infarction. *Arch Intern Med* 2007;167(1):68-73. <http://www.ncbi.nlm.nih.gov/pubmed/17210880>; <http://archinte.ama-assn.org/cgi/content/full/167/1/68>
99. Tebbe U, Bramlage P, von Löwis of Menar P, Lawall H, Gaudron P, Lüders S, Klaus A, Lengfelder W, Scholz KH, Maziejewski S, Cuneo A, Hohmann V, Gulba D. [Treatment of the acute coronary syndrome in Germany: experience in a German cluster of the GRACE registry]. *Dtsch Med Wochenschr* 2007;132(39):2000-5.
<http://www.ncbi.nlm.nih.gov/pubmed/17882737>
100. Yan RT, Yan AT, Allegrone J, López-Sendón J, Granger CB, Gore JM, Budaj A, Georgescu AA, Hassan Q, Luchansky J, Van de Werf F, Goodman SG; Global Registry of Acute Coronary Events Electrocardiogram Substudy Group. Differences between local hospital and core laboratory interpretation of the admission electrocardiogram in patients with acute coronary syndromes and their relation to outcome. *Am J Cardiol* 2007;100(2):169-74.
<http://www.ncbi.nlm.nih.gov/pubmed/17631063>
101. Yan A, Yan RT, Kennelly BM, Anderson FA Jr, Budaj A, López-Sendón J, Brieger D, Allegrone J, Steg G, Goodman SG; GRACE Investigators. Relationship of ST elevation in lead aVR with angiographic findings and outcome in non-ST elevation acute coronary syndromes. *Am Heart J* 2007;154(1):71-8. <http://www.ncbi.nlm.nih.gov/pubmed/17584554>

2006

102. Emery M, López-Sendón J, Steg PG, Anderson FA Jr, Dabbous OH, Scheuble A, Eagle KA; GRACE Investigators. Patterns of use and potential impact of early beta-blocker therapy in non-ST-elevation myocardial infarction with and without heart failure: the Global Registry of Acute Coronary Events. *Am Heart J* 2006;152(6):1015-21.
<http://www.ncbi.nlm.nih.gov/pubmed/17161045>
103. Fox KA, Dabbous OH, Goldberg RJ, Pieper KS, Eagle KA, Van de Werf F, Avezum A, Goodman SG, Flather MD, Anderson FA Jr, Granger CB. Prediction of risk of death and myocardial infarction in the six months after presentation with acute coronary syndrome: prospective multinational observational study (GRACE). *BMJ* 2006;333(7578):1091.
<http://www.ncbi.nlm.nih.gov/pubmed/17032691>; <http://www.bmj.com/content/333/7578/1091.long>
104. Froehlich JB, Mukherjee D, Avezum A, Budaj A, Kline-Rogers EM, López-Sendón J, Allegrone J, Eagle KA, Mehta RH, Goldberg RJ; GRACE Investigators. Association of peripheral artery disease with treatment and outcomes in acute coronary syndromes. The Global Registry of Acute Coronary Events (GRACE). *Am Heart J* 2006;151(5):1123-8.
<http://www.ncbi.nlm.nih.gov/pubmed/16644349>
105. Goodman SG, Steg PG, Eagle KA, Fox KA, López-Sendón J, Montalescot G, Budaj A, Kennelly BM, Gore JM, Allegrone J, Granger CB, Gurfinkel EP; GRACE Investigators. The diagnostic and prognostic impact of the redefinition of acute myocardial infarction: lessons from the Global Registry of Acute Coronary Events (GRACE). *Am Heart J* 2006;151(3):654-60. <http://www.ncbi.nlm.nih.gov/pubmed/16504627>

2005

106. Avezum A, Makdisse M, Spencer F, Gore JM, Fox KA, Montalescot G, Eagle KA, White K, Mehta RH, Knobel E, Collet JP; GRACE Investigators. Impact of age on management and outcome of acute coronary syndrome: observations from the Global Registry of Acute Coronary Events (GRACE). *Am Heart J* 2005;149(1):67-73.
<http://www.ncbi.nlm.nih.gov/pubmed/15660036>
107. Budaj A, Flasińska K, Gore JM, Anderson FA Jr, Dabbous OH, Spencer FA, Goldberg RJ, Fox KA; GRACE Investigators. Magnitude of and risk factors for in-hospital and postdischarge stroke in patients with acute coronary syndromes: findings from a Global Registry of Acute Coronary Events. *Circulation* 2005; 111(24):3242-7.
<http://www.ncbi.nlm.nih.gov/pubmed/15956123>; <http://circ.ahajournals.org/cgi/content/full/111/24/3242>

108. Carruthers KF, Dabbous OH, Flather MD, Starkey I, Jacob A, MacLeod D, Fox KA; GRACE Investigators. Contemporary management of acute coronary syndromes: does the practice match the evidence? The Global Registry of Acute Coronary Events (GRACE). *Heart* 2005;91(3):290-8. <http://www.ncbi.nlm.nih.gov/pubmed/15710703>; <http://heart.bmj.com/content/91/3/290.long>
109. Collet JP, Montalescot G, Agnelli G, Van de Werf F, Gurfinkel EP, López-Sendón J, Laufenberg CV, Klutman M, Gowda N, Gulba D; GRACE Investigators. Non-ST-segment elevation acute coronary syndrome in patients with renal dysfunction: benefit of low-molecular-weight heparin alone or with glycoprotein IIb/IIIa inhibitors on outcomes. The Global Registry of Acute Coronary Events. *Eur Heart J* 2005;26(21):2285-93. <http://www.ncbi.nlm.nih.gov/pubmed/15932908>; <http://eurheartj.oxfordjournals.org/content/26/21/2285.long>
110. Devlin G, Anderson FA, Heald S, López-Sendón J, Avezum Á, Elliott J, Dabbous OH, Brieger D; GRACE Investigators. Management and outcomes of lower risk patients presenting with acute coronary syndromes in a multinational observational registry. *Heart* 2005;91(11):1394-9. <http://www.ncbi.nlm.nih.gov/pubmed/15761048>; <http://heart.bmj.com/content/91/11/1394.long>
111. Granger CB, Steg PG, Peterson E, López-Sendón J, Van de Werf F, Kline-Rogers E, Allegrone J, Dabbous OH, Klein W, Fox KA, Eagle KA; GRACE Investigators. Medication performance measures and mortality following acute coronary syndromes. *Am J Med* 2005;118(8):858-65. <http://www.ncbi.nlm.nih.gov/pubmed/16084178>
112. Gurfinkel EP, Bozovich GE, Dabbous O, Mautner B, Anderson F. Socio economic crisis and mortality. Epidemiological testimony of the financial collapse of Argentina. *Thromb J* 2005;3:22. <http://www.ncbi.nlm.nih.gov/pubmed/16351728>; <http://www.thrombosisjournal.com/content/3/1/22>
113. Himbert D, Klutman M, Steg G, White K, Gulba DC; GRACE Investigators. Cigarette smoking and acute coronary syndromes: a multinational observational study. *Int J Cardiol* 2005; 100(1):109-17. <http://www.ncbi.nlm.nih.gov/pubmed/15820293>
114. Lim MJ, Eagle KA, Gore JM, Anderson FA Jr, Dabbous OH, Mehta RH, Granger CB, Fox KA, Spencer FA, Goldberg RJ; Global Registry of Acute Coronary Events Investigators. Treating patients with acute coronary syndromes with aggressive antiplatelet therapy (from the Global Registry of Acute Coronary Events). *Am J Cardiol* 2005;96(7):917-21. <http://www.ncbi.nlm.nih.gov/pubmed/16188516>
115. Lim MJ, Spencer FA, Gore JM, Dabbous OH, Agnelli G, Kline-Rogers EM, Dibenedetto D, Eagle KA, Mehta RH; GRACE Investigators. Impact of combined pharmacologic treatment with clopidogrel and a statin on outcomes of patients with non-ST-segment elevation acute coronary syndromes: perspectives from a large multinational registry. *Eur Heart J* 2005;26(11):1063-9. <http://www.ncbi.nlm.nih.gov/pubmed/15716281>; <http://eurheartj.oxfordjournals.org/content/26/11/1063.long>
116. Mallat Z, Steg PG, Benessiano J, Tanguy ML, Fox KA, Collet JP, Dabbous OH, Henry P, Carruthers KF, Dauphin A, Arguelles CS, Masliah J, Hugel B, Montalescot G, Freyssinet JM, Asselain B, Tedgui A. Circulating secretory phospholipase A2 activity predicts recurrent events in patients with severe acute coronary syndromes. *J Am Coll Cardiol* 2005;46(7):1249-57. <http://www.ncbi.nlm.nih.gov/pubmed/16198839>
117. Montalescot G, Dabbous OH, Lim MJ, Flather MD, Mehta RH; Global Registry of Acute Coronary Events Investigators. Relation of timing of cardiac catheterization to outcomes in patients with non-ST-segment elevation myocardial infarction or unstable angina pectoris enrolled in the multinational Global Registry of Acute Coronary Events. *Am J Cardiol* 2005; 95(12):1397-403. <http://www.ncbi.nlm.nih.gov/pubmed/15950559>
118. Philippe F, Larrazet F, Dibie A, Bouabdallah K, Carbognani D, Folliguet T, Czitrom D, Lagier A, Laborde F, Cohen A, Montalescot G. [Management of acute coronary syndromes in a new French coronary intensive care unit. The first four years of activity in the GRACE registry (Global Registry of Acute Coronary Events)]. *Ann Cardiol Angeiol (Paris)* 2005;54(2):68-73. <http://www.ncbi.nlm.nih.gov/pubmed/15828460>
119. Van de Werf F, Gore JM, Avezum Á, Gulba DC, Goodman SG, Budaj A, Brieger D, White K, Fox KA, Eagle KA, Kennelly BM; GRACE Investigators. Access to catheterisation facilities in patients admitted with acute coronary syndrome: multinational registry study. *BMJ* 2005;330(7489):441. <http://www.ncbi.nlm.nih.gov/pubmed/15665006>; <http://www.bmj.com/content/330/7489/441.long>

2004

120. Brieger D, Eagle KA, Goodman SG, Steg PG, Budaj A, White K, Montalescot G; GRACE Investigators. Acute coronary syndromes without chest pain, an underdiagnosed and undertreated high-risk group: insights from the Global Registry of Acute Coronary Events. *Chest* 2004;126(2):461-9. <http://www.ncbi.nlm.nih.gov/pubmed/15302732>; <http://chestjournal.chestpubs.org/content/126/2/461.long>
121. Eagle KA, Kline-Rogers E, Goodman SG, Gurfinkel EP, Avezum A, Flather MD, Granger CB, Erickson S, White K, Steg PG. Adherence to evidence-based therapies after discharge for acute coronary syndromes: an ongoing prospective, observational study. *Am J Med* 2004;117(2):73-81. <http://www.ncbi.nlm.nih.gov/pubmed/15234641>

122. Eagle KA, Lim MJ, Dabbous OH, Pieper KS, Goldberg RJ, Van de Werf F, Goodman SG, Granger CB, Steg PG, Gore JM, Budaj A, Avezum A, Flather MD, Fox KA; GRACE Investigators. A validated prediction model for all forms of acute coronary syndrome: estimating the risk of 6-month postdischarge death in an international registry. *JAMA* 2004;291(22):2727-33. <http://www.ncbi.nlm.nih.gov/pubmed/15187054>; <http://jama.ama-assn.org/cgi/content/full/291/22/2727>
123. Fox KA. An international perspective on acute coronary syndrome care: insights from the Global Registry of Acute Coronary Events. *Am Heart J* 2004;148(5 Suppl):S40-5. <http://www.ncbi.nlm.nih.gov/pubmed/15514633>
124. Franklin K, Goldberg RJ, Spencer F, Klein W, Budaj A, Brieger D, Marre M, Steg PG, Gowda N, Gore JM; GRACE Investigators. Implications of diabetes in patients with acute coronary syndromes. The Global Registry of Acute Coronary Events. *Arch Intern Med* 2004;164(13):1457-63. <http://www.ncbi.nlm.nih.gov/pubmed/15249356>; <http://archinte.ama-assn.org/cgi/content/full/164/13/1457>
125. Furman MI, Gore JM, Anderson FA, Budaj A, Goodman SG, Avezum A, López-Sendón J, Klein W, Mukherjee D, Eagle KA, Dabbous OH, Goldberg RJ; GRACE Investigators. Elevated leukocyte count and adverse hospital events in patients with acute coronary syndromes: findings from the Global Registry of Acute Coronary Events (GRACE). *Am Heart J* 2004;147(1):42-8. <http://www.ncbi.nlm.nih.gov/pubmed/14691417>
126. Goldberg RJ, Currie K, White K, Brieger D, Steg PG, Goodman SG, Dabbous O, Fox KA, Gore JM. Six-month outcomes in a multinational registry of patients hospitalized with an acute coronary syndrome (the Global Registry of Acute Coronary Events [GRACE]). *Am J Cardiol* 2004;93(3):288-93. <http://www.ncbi.nlm.nih.gov/pubmed/14759376>
127. Mehta RH, Sadiq I, Goldberg RJ, Gore JM, Avezum A, Spencer F, Kline-Rogers E, Allegrone J, Pieper K, Fox KA, Eagle KA; GRACE Investigators. Effectiveness of primary percutaneous coronary intervention compared with that of thrombolytic therapy in elderly patients with acute myocardial infarction. *Am Heart J* 2004;147(2):253-9. <http://www.ncbi.nlm.nih.gov/pubmed/14760322>
128. Spencer FA, Allegrone J, Goldberg RJ, Gore JM, Fox KA, Granger CB, Mehta RH, Brieger D; GRACE Investigators. Association of statin therapy with outcomes of acute coronary syndromes: the GRACE study. *Ann Intern Med* 2004;140(11):857-66. <http://www.ncbi.nlm.nih.gov/pubmed/15172899>
129. Steg PG, Dabbous OH, Feldman LJ, Cohen-Solal A, Aumont MC, López-Sendón J, Budaj A, Goldberg RJ, Klein W, Anderson FA Jr; Global Registry of Acute Coronary Events Investigators. Determinants and prognostic impact of heart failure complicating acute coronary syndromes: observations from the Global Registry of Acute Coronary Events (GRACE). *Circulation* 2004;109(4):494-9. <http://www.ncbi.nlm.nih.gov/pubmed/14744970>; <http://circ.ahajournals.org/cgi/content/full/109/4/494>

2003

130. Budaj A, Brieger D, Steg PG, Goodman SG, Dabbous OH, Fox KA, Avezum A, Cannon CP, Mazurek T, Flather MD, Van de Werf F; GRACE Investigators. Global patterns of use of antithrombotic and antiplatelet therapies in patients with acute coronary syndromes: insights from the Global Registry of Acute Coronary Events (GRACE). *Am Heart J* 2003;146(6):999-1006. <http://www.ncbi.nlm.nih.gov/pubmed/14660991>
131. Fox KA, Goodman SG, Anderson FA Jr, Granger CB, Moscucci M, Flather MD, Spencer F, Budaj A, Dabbous OH, Gore JM; GRACE Investigators. From guidelines to clinical practice: the impact of hospital and geographical characteristics on temporal trends in the management of acute coronary syndromes. The Global Registry of Acute Coronary Events (GRACE). *Eur Heart J* 2003;24(15):1414-24. <http://www.ncbi.nlm.nih.gov/pubmed/12909070>; <http://eurheartj.oxfordjournals.org/content/24/15/1414.long>
132. Granger CB, Goldberg RJ, Dabbous O, Pieper KS, Eagle KA, Cannon CP, Van de Werf F, Avezum A, Goodman SG, Flather MD, Fox KA; Global Registry of Acute Coronary Events Investigators. Predictors of hospital mortality in the Global Registry of Acute Coronary Events. *Arch Intern Med* 2003;163(19):2345-53. <http://www.ncbi.nlm.nih.gov/pubmed/14581255>; <http://archinte.ama-assn.org/cgi/content/full/163/19/2345>
133. Klein W, Kraxner W, Hödl R, Steg PG, Budaj A, Gulba D, Sadiq I, Van de Werf F, White K, Fox KA; GRACE investigators. Patterns of use of heparins in ACS. Correlates and hospital outcomes: the Global Registry of Acute Coronary Events (GRACE). *Thromb Haemost* 2003;90(3):519-27. <http://www.ncbi.nlm.nih.gov/pubmed/12958622>
134. Mehta RH, Dabbous OH, Granger CB, Kuznetsova P, Kline-Rogers EM, Anderson FA Jr, Fox KA, Gore JM, Goldberg RJ, Eagle KA; GRACE Investigators. Comparison of outcomes of patients with acute coronary syndromes with and without atrial fibrillation. *Am J Cardiol* 2003;92(9):1031-6. <http://www.ncbi.nlm.nih.gov/pubmed/14583352>
135. Montalescot G, Van de Werf F, Gulba DC, Avezum A, Brieger D, Kannelly BM, Mazurek T, Spencer F, White K, Gore JM; GRACE Investigators. Stenting and glycoprotein IIb/IIIa inhibition in patients with acute myocardial infarction undergoing percutaneous coronary intervention: findings from the Global Registry of Acute Coronary Events (GRACE). *Catheter Cardiovasc Interv* 2003;60(3):360-7. <http://www.ncbi.nlm.nih.gov/pubmed/14571488>

136. Moscucci M, Fox KA, Cannon CP, Klein W, López-Sendón J, Montalescot G, White K, Goldberg RJ. Predictors of major bleeding in acute coronary syndromes: the Global Registry of Acute Coronary Events (GRACE). *Eur Heart J* 2003;24(20):1815-23. <http://www.ncbi.nlm.nih.gov/pubmed/14563340>; <http://eurheartj.oxfordjournals.org/content/24/20/1815.long>
137. Santopinto JJ, Fox KA, Goldberg RJ, Budaj A, Piñero G, Avezum A, Gulba D, Esteban J, Gore JM, Johnson J, Gurfinkel EP; GRACE Investigators. Creatinine clearance and adverse hospital outcomes in patients with acute coronary syndromes: findings from the Global Registry of Acute Coronary Events (GRACE). *Heart* 2003;89(9):1003-8. <http://www.ncbi.nlm.nih.gov/pubmed/12923009>; <http://heart.bmj.com/content/89/9/1003.long>

2002

138. Dauerman HL, Goldberg RJ, White K, Gore JM, Sadiq I, Gurfinkel E, Budaj A, Lopez de Sa E, López-Sendón J; Global Registry of Acute Coronary Events (GRACE) Investigators. Revascularization, stenting, and outcomes of patients with acute myocardial infarction complicated by cardiogenic shock. *Am J Cardiol* 2002;90(8):838-42. <http://www.ncbi.nlm.nih.gov/pubmed/12372570>
139. Eagle K. Lessons from GRACE: the Global Registry of Acute Coronary Events. *Eur Heart J Suppl* 2002;4(Suppl E):E24-31. http://eurheartjsupp.oxfordjournals.org/content/4/suppl_E/E24.refs
140. Eagle KA, Goodman SG, Avezum A, Budaj A, Sullivan CM, López-Sendón J; GRACE Investigators. Practice variation and missed opportunities for reperfusion in ST-segment-elevation myocardial infarction: findings from the Global Registry of Acute Coronary Events (GRACE). *Lancet* 2002;359(9304):373-7. <http://www.ncbi.nlm.nih.gov/pubmed/11844506>
141. Fox KA, Goodman SG, Klein W, Brieger D, Steg PG, Dabbous O, Avezum A. Management of acute coronary syndromes. Variations in practice and outcome; findings from the Global Registry of Acute Coronary Events (GRACE). *Eur Heart J* 2002;23(15):1177-89. <http://www.ncbi.nlm.nih.gov/pubmed/12127920>
142. Goldberg RJ, Steg PG, Sadiq I, Granger CB, Jackson EA, Budaj A, Brieger D, Avezum A, Goodman S. Extent of, and factors associated with, delay to hospital presentation in patients with acute coronary disease (the GRACE registry). *Am J Cardiol* 2002;89(7):791-6. <http://www.ncbi.nlm.nih.gov/pubmed/11909560>
143. Spencer F, Santopinto J, Gore JM, Goldberg RJ, Fox KA, Moscucci M, White K, Gurfinkel EP. Impact of aspirin on presentation and hospital outcomes in patients with acute coronary syndromes (The Global Registry of Acute Coronary Events [GRACE]). *Am J Cardiol* 2002;90(10):1056-61. <http://www.ncbi.nlm.nih.gov/pubmed/12423703>
144. Steg PG, Goldberg RJ, Gore JM, Fox KA, Eagle KA, Flather MD, Sadiq I, Kasper R, Rushton-Mellor SK, Anderson FA; GRACE Investigators. Baseline characteristics, management practices, and in-hospital outcomes of patients hospitalized with acute coronary syndromes in the Global Registry of Acute Coronary Events (GRACE). *Am J Cardiol* 2002;90(4):358-63. <http://www.ncbi.nlm.nih.gov/pubmed/12161222>

2001

145. GRACE Investigators. Rationale and design of the GRACE (Global Registry of Acute Coronary Events) Project: a multinational registry of patients hospitalized with acute coronary syndromes. *Am Heart J* 2001;141(2):190-9. <http://www.ncbi.nlm.nih.gov/pubmed/11174331>

2000

146. Fox KA. An introduction to the Global Registry of Acute Coronary Events: GRACE. *Eur Heart J Suppl* 2000;2(Suppl F):F21-4. <http://cat.inist.fr/?aModele=afficheN&cpsid=1538810>
147. Granger CB. Strategies of patient care in acute coronary syndromes: rationale for the Global Registry of Acute Coronary Events (GRACE) registry. *Am J Cardiol* 2000;86(12B):4M-9M. <http://www.ncbi.nlm.nih.gov/pubmed/11206020>